




Health
Canada Santé
Canada

*Your health and
safety... our priority.*

*Votre santé et votre
sécurité... notre priorité.*

Heat Alert and Response Systems to Protect Health:

Best Practices Guidebook



Canada 

Heat Alert and Response Systems to Protect Health:

Best Practices Guidebook

Prepared by:
Water, Air and Climate Change Bureau
Healthy Environments and
Consumer Safety Branch

Health Canada is the federal department responsible for helping the people of Canada maintain and improve their health. We assess the safety of drugs and many consumer products, help improve the safety of food, and provide information to Canadians to help them make healthy decisions. We provide health services to First Nations people and to Inuit communities. We work with the provinces to ensure our health care system serves the needs of Canadians.

Published by authority of the Minister of Health.

Heat Alert and Response Systems to Protect Health: Best Practices Guidebook
is available on Internet at the following address:
www.healthcanada.gc.ca

Également disponible en français sous le titre :
*Élaboration de systèmes d'avertissement et d'intervention en cas de chaleur
afin de protéger la santé : Guide des pratiques exemplaires*

This publication can be made available on request in a variety of alternative formats.

For further information or to obtain additional copies, please contact:

Publications
Health Canada
Ottawa, Ontario K1A 0K9
Tel.: 613-954-5995
Fax: 613-941-5366
Email: info@hc-sc.gc.ca

© Her Majesty the Queen in Right of Canada,
represented by the Minister of Health, 2012

This publication may be reproduced without permission
provided the source is fully acknowledged.

HC Pub.: 110209
Cat.: H129-9/2011E
ISBN: 978-1-100-19671-8

ACKNOWLEDGEMENTS

Health Canada recognizes the contributions from:

- › Davidge, Andrew (GHK International [Canada] Ltd.)
- › Dobilas, Geoff (GHK International [Canada] Ltd.)
- › Ebi, Kristie L. (Stanford University and Carnegie Institution)
- › Fedos, Peter (Surrey Extreme Weather Response Coordinator)
- › Hamel, Stephan (New Brunswick Public Health)
- › Hersi, Hibak (City of Vancouver)
- › King, Norman (Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal)
- › Lefebvre, Luc (Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal)
- › Luber, George (United States Centers for Disease Control and Prevention)
- › McInnes, Judith (Department of Epidemiology and Preventive Medicine, Monash University)
- › Morris-Oswald, Toni (Manitoba Health and Healthy Living)
- › Pacheco, Elaine (Toronto Public Health)
- › Paszkowski, Dawn E. (University of British Columbia)
- › Pratt, James (James Pratt Consulting)
- › Price, Karine (Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal)
- › Richters, Karina (City of Windsor)
- › Robinson, Martha (Ottawa Public Health)
- › Roy, Lucie-Andrée (Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal)
- › Ruf, Fred (Outsourcing Services Inc.)
- › Sénécal, Ghyslaine (Agence de la santé et des services sociaux de Montréal)
- › Shapiro, Howard (Toronto Public Health)
- › Smargiassi, Audrey (Air pollution, climatic changes and health research chair, University of Montréal)
- › Sullivan, Sue (Canadian Public Health Association)

To receive more information about climate change and health activities at Health Canada, please contact:
Climatinfo@hc-sc.gc.ca

Foreword	1
1 Introduction	2
1.1 Overview of Heat Alert and Response Systems	2
1.2 How the <i>Guidebook</i> was Developed	4
2 Risks to Canadians from Extreme Heat	5
2.1 Relationship Between Heat and Health	5
2.2 Impacts of Air Pollution and Extreme Heat on Health	9
3 Preparing for the Health Impacts of Extreme Heat	11
3.1 Heat Alert and Response Systems to Protect Health	12
3.2 Assessing Vulnerability to the Health Impacts of Extreme Heat	16
3.3 Tips for Getting Started	18
3.3.1 Developing a Heat Alert and Response System	18
3.3.2 Engaging Stakeholders	19
Case Study 1: How Fredericton Developed a Heat Alert and Response System from the Ground Up	22
3.4 Developing an Alert Protocol	23
3.4.1 Identifying an Alert Trigger	23
3.4.2 Calling Alerts	28
Case Study 2: How Winnipeg Chose its Heat Alert and Response System Alert Triggers	30
3.5 Developing a Response Plan	32
3.5.1 Cooling Facilities	36
Case Study 3: Community Response to Extreme Heat Events in the City of Ottawa	37
Case Study 4: How a Rural Community in Manitoba Reduces Impacts on Health from Extreme Heat	39

3.6	Supporting a Heat Alert and Response System with Communication Activities	41
3.6.1	Before the Heat Season	44
3.6.2	During the Heat Season	45
3.6.3	During an Extreme Heat Event	46
	Case Study 5:	
	How Windsor-Essex Communicates Heat-Health Risks to the Public	48
3.7	Improving Heat Alert and Response Systems Through Evaluation	50
3.7.1	Evaluation Design	50
3.7.2	Process Evaluation	52
3.7.3	Outcome Evaluation	52
3.7.4	Evaluation Results	54
	Case Study 6:	
	Evaluation of the Montréal Heat Plan Communication Program	55
3.8	Preventative Action: Reducing Urban Heat	56
3.8.1	The Urban Heat Island	56
3.8.2	Reducing the Urban Heat Island	57
3.8.3	Co-Benefits for Communities	60
	Appendices	61
	Appendix A—Questionnaires	63
	Sample Partner Questionnaire for Assessing Heat-Health Vulnerability	63
	Sample Target Population Questionnaire	65
	Sample Partner Survey: End-of-Season Heat Alert and Response System Evaluation	67
	Appendix B—Integration of Extreme Heat into the Assiniboine Regional Health Authority Disaster and Emergency Response Plan	70
	Appendix C—Information Resources for Developing a Heat Alert and Response System Plan	71
	Appendix D—Examples of Alert Triggers Used by Canadian Communities	74
	References	76

Foreword

Extreme heat poses growing risks to the health of Canadians. Public health and emergency management officials in several Canadian communities are developing interventions to reduce heat-health risks and to prepare for the expected increase in the frequency, duration and severity of extreme heat events due to climate change. To help Canadians protect themselves and their families, health authorities are seeking information about the most effective public health interventions to assist those at risk. A range of actions to safeguard health are being taken, but many remain untested. In support of these efforts, Health Canada is taking action to help Canadians and their communities become more resilient in the face of a changing climate. As more communities in Canada begin to develop systems to reduce risks to health from extreme heat, they will require effective strategies to protect health.

A key adaptation step to protect people from extreme heat events is the development and implementation of Heat Alert and Response System(s) (HARS) by public health and emergency management officials. *Heat Alert and Response Systems to Protect Health: Best Practices Guidebook* provides an overview of health risks from extreme heat and offers evidence-based strategies for alerting health authorities and the public when hazardous conditions arise. It is intended for use by policymakers, planners and service providers involved in protecting citizens from extreme heat events. The *Guidebook* is designed to help develop interventions tailored to the needs of a specific community. To this end, the *Guidebook* provides:

- information on extreme heat events and the potential health risks to Canadians, including those most vulnerable to the impacts
- guidance on assessing heat-health vulnerabilities and adaptation options for a community or a region

- guidance on developing a HARS that addresses heat-health vulnerabilities at population and community levels
- a framework for evaluating the effectiveness of HARS
- examples of preventative measures to reduce ambient temperatures in urban environments
- examples and case studies of interventions drawn from communities across Canada and internationally

The information in this document was developed with support from a range of governmental and non-governmental partners, including experts and stakeholders responsible for providing assistance to vulnerable Canadians during heat emergencies. Lessons learned, as well as best practices for organizing community HARS, are provided to help public health and emergency management officials, in partnership with non-government community organizations, protect the health of Canadians from extreme heat.



1. Introduction

As a result of climate change, in the past century, global temperatures increased by 0.8°C/1.4°F. The best estimates provided by the Intergovernmental Panel on Climate Change (IPCC) suggest future warming to be between 1.8°C/3.2°F and 4.0°C/7.2°F by 2100.¹ European summer temperatures as high as those observed in 2003, which resulted in over 70,000 deaths,^{2,3} are projected to become a common occurrence by the middle of the century.⁴ In 2010, another catastrophic extreme heat event struck Russia and resulted in an estimated 55,000 deaths.⁵

“Heat is an environmental and occupational hazard. The prevention of deaths in the community caused by extreme high temperatures (heat waves) is now an issue of public health concern.”

– R.S. Kovats and S. Hajat, 2008, p. 41⁶

There is no standard definition of an extreme heat event. The European research project EuroHEAT defines a heat wave as “a period when maximum apparent temperature and minimum temperature are over the 90th percentile of the monthly distribution for at least two days.”⁷ Environment Canada’s definition of a heat wave is “a period with more than three consecutive days of maximum temperatures at or above 32°C [90°F].”⁸ A more physiologically based definition identifies extreme hot weather as the “threshold and duration that are observed to be associated with an increased morbidity and mortality of a specific population.”⁹

Even though heat-related deaths are preventable, extreme heat events^a have been associated with sudden, short-term increases in mortality, especially among older adults, those who are chronically ill and socially disadvantaged people.^{6,9–12} Increases in morbidity are also observed^{13,14}; however, they are

not as well documented.¹⁵ As a result, these events have the potential to stress existing health and social services, thereby impacting the provision of these services to the public. Extreme heat events also result in high economic costs to society. It is estimated that the 2003 European extreme heat event cost the affected countries 10 billion euros due to the combined effects of drought, heat stress and fire, resulting in losses in farming, livestock and forestry.¹⁶

1.1 Overview of Heat Alert and Response Systems

The effects of heat on the health of Canadians will depend upon actions taken by public health and emergency management officials, community health and social service providers, and by individuals to prepare for and respond to the impacts. Research suggests that the health effects of extreme heat are a function of⁶:

- the duration and severity of an extreme heat event
- when an extreme heat event occurs in the season
- the sensitivity of the population
- the ability of a community to respond during extreme heat events
- actions taken by officials and individuals, particularly the most vulnerable, to manage the risks

To prepare for extreme heat events, some communities in Canada and internationally have developed Heat Alert and Response System(s) (HARS).¹⁷ These systems have the following core elements described in detail in Section 3:

Community Mobilization and Engagement—Requires a coordinating agency to prepare the community for the upcoming heat season by

^a The term “extreme heat event” rather than “heat wave” is used in this document.

identifying community needs, recruiting stakeholders and developing plans to implement a HARS.

Alert Protocol—Identifies weather conditions that could result in increased morbidity and mortality in the region. The protocol is used to alert the public, as well as government officials and stakeholders, who then take pre-determined actions to protect health.


Community Response Plan—Facilitates actions by individuals to protect themselves during periods of extreme heat by directing public health interventions aimed at reaching vulnerable individuals who require assistance.

Communication Plan—Raises awareness about the impacts that heat may have on health, and provides advice through media releases, interviews and websites on how to reduce health risks.

Evaluation Plan—Assesses HARS activities and facilitates improvements. Aims to evaluate the extent to which implemented measures are timely, relevant, effective, meet local priorities, and contribute to the reduction of health impacts.

A HARS is most effective when it is delivered in conjunction with preventative actions that provide long-term and sustainable protection from extreme heat events (Figure 1).

Figure 1: Community HARS and preventative actions to reduce heat-health risks



There is a wide disparity across Canada in the measures being used to protect the health of citizens. Measures range from disseminating health protection advice through websites during extreme heat events to full community outreach and response efforts to assist heat-vulnerable populations.^{18,19} To adapt to extreme heat events, communities need a systematic application of best practices in the development, implementation and evaluation of HARS.

1.2 How the *Guidebook* Was Developed

Few formal evaluations of HARS in Canada and internationally have been completed. Consequently, the advice and best practices provided in this *Guidebook* draw from a variety of sources. A literature review was conducted of studies related to:

- climate change and health adaptation
- development and implementation of HARS
- urban heat island mitigation
- communication of heat-health risks to the public
- evaluation of public health programs



The objective was to document the types of measures available to communities to protect citizens through HARS and through preventative actions. The review drew its analysis from original data sources, published and grey literature, and included both peer-reviewed scientific publications and a variety of technical and government reports. Information was obtained from both domestic and international sources; however, international literature was included only when it had a Canadian component or when it provided a theoretical or methodological basis for the analysis that was applicable to the Canadian context.

Expert input was collected from a HARS Advisory Committee, established to guide a Health Canada initiative to develop heat-resilient individuals and communities in Canada. The committee consisted of experts with knowledge and professional experience in the development and implementation of HARS, climate change and health adaptation, public health and emergency management, the needs of heat-vulnerable populations and occupational health. The *Guidebook* was reviewed by issue experts and public health and emergency management officials in Canada.

The *Guidebook* also draws from the experiences of Health Canada's four Canadian communities that piloted the development of a HARS from the ground up (Winnipeg, Manitoba; a rural region in Manitoba, within the Assiniboine Regional Health Authority [ARHA]; Windsor, Ontario; Fredericton, New Brunswick).^b These communities used the findings from table-top exercises and heat-health vulnerability assessments to inform their HARS. The *Guidebook* is supplemented with information from the experiences and evaluation findings of select Canadian communities that currently have a HARS (e.g. Hamilton, Sudbury, Toronto, Ottawa, Kingston, Frontenac, Lennox & Addington in Ontario, and Montréal in Quebec).

^b Between 2008 and 2011, Health Canada engaged four communities to pilot development of a HARS and address heat-health risks in their community. Each community identified a lead agency, developed and approved a formal HARS plan, identified community outreach activities, and implemented communication plans and products. These communities undertook a participatory approach and engaged in community consultations with local partners and stakeholders to develop their HARS.

2 Risks to Canadians from Extreme Heat

2.1 Relationship Between Heat and Health

The human body tries to maintain a normal core temperature of about 37°C/99°F by constantly regulating the balance of heat gain with heat loss.²⁰ Excessive atmospheric temperature in combination with high humidity, radiant solar load and/or metabolic workload (especially without moderate air movement) can overwhelm the body's capacity to thermoregulate and cool itself.²¹

Over-exposure to extreme heat and/or over-exertion for a person's age and/or physical condition in such environments can lead to excessive stress on the body that may result in moderate heat illnesses, such as heat rash, edema, loss of consciousness, cramps and exhaustion. This exposure can also lead to life-threatening heat stroke that may result in severe and long-lasting consequences.²¹⁻²³ During periods of extreme heat, people may also succumb to underlying health conditions (e.g. respiratory, cardiovascular) that are heat sensitive.

Analysis of morbidity and mortality data from previous extreme heat events reveals that the following population groups are more vulnerable due to underlying risk factors:

- older adults¹¹
- infants and young children²⁴
- people with chronic illnesses (e.g. psychiatric illnesses) or who are physically impaired¹⁰
- people taking certain medications that affect heat sensitivity by interfering with the body's cooling functions or water/salt retention (e.g. antihypertensives,²⁵ antidepressants,²⁶ antipsychotics,^{26,27} anti-Parkinson's agents²⁷)
- socially disadvantaged individuals (e.g. low-income earners,²³ homeless people,²⁸ people living alone¹⁰)
- newcomers to Canada and transient populations (e.g. tourists)²⁹



- certain occupational groups (e.g. farmers, construction workers, miners, tree planters)³⁰⁻³²
- those who are physically active^{13,33}

Early summer extreme heat events generally result in higher health impacts than those occurring later in the summer.³⁴ Most people who are regularly exposed to high temperatures become acclimatized to hot environments.^{34,35} However, the body's ability to acclimatize may be limited for some people, such as those with heart disease,^{36,37} older adults³⁷ and young children.³⁷ Acclimatization is due to physiological adaptation in both cardiovascular and sweating systems.³⁸ The benefits of acclimatization lessen as a person's exposure to high temperatures decreases.³⁹

Health risks from extreme heat are well documented. Many international and Canadian studies show that daily mortality rates increase when temperatures rise above certain levels.^{40,41} Recent analysis of

the 2009 extreme heat event in British Columbia, an eight-day period where temperatures reached as high as 34.4°C/93.9°F (measured at the Vancouver International Airport), suggests that it contributed to 156 excess deaths in the province's lower mainland area.⁴²

A historical analysis of annual average mortality associated with extreme heat from 1954 to 2000 found that Montréal, Toronto, Ottawa and Windsor experienced an annual average of 121, 120, 41 and 37 excess deaths, respectively, over this time frame.⁴³ In addition, some studies also show a correlation between elevated temperatures and increases in morbidity.¹³ Smaller communities (e.g. rural) also face heat-health impacts.^{44–46} These impacts are harder to measure due to lower population densities in the communities and consequently fewer deaths.⁴⁵




To further understand the relationship between heat and health in Canada, temperature-mortality curves were developed for Winnipeg, Windsor, Hamilton, Toronto and Fredericton (Figure 2). The curves show that temperature is a health risk in all cities examined and that the temperature-mortality relationship varies among them. For example, in Hamilton relative mortality above 100% (average mortality for June, July and August of each year) was observed at a daily maximum temperature of 26°C/79°F, while in Windsor it was detected at 30°C/86°F. The rate at which deaths occur as temperatures increase is also variable. In Fredericton, the increase in relative mortality was greater as temperatures increased when compared with Windsor (demonstrated by the slope of the curve in Figure 2). Similar results have been shown for 8 regions in Quebec⁴⁰ and for 15 cities in Europe.⁷ These differences are frequently attributed to local adaptive capacity, differences in vulnerable populations and local climate.⁷ These findings are consistent with published reports that also demonstrate variability between regions, cities and within neighbourhoods.^{7,47}

Heat impacts on health are worse if high temperatures persist over several days and throughout the night. Elevated nighttime temperatures prevent relief from daytime heat and contribute to additional heat stress.^{51–54} Some regions in urban areas, known as urban heat islands (Section 3.8), trap daytime heat and cool down slower than outside temperatures. The type (e.g. design) and location of a building can have a major influence on individual heat exposure. For example, indoor temperatures can be higher in taller buildings.^{55–57} Figure 3 illustrates how indoor temperatures in a duplex can remain high even though outdoor temperatures decrease at night.

Figure 2: Relationship between daily maximum temperatures in June, July and August, and all non-traumatic deaths for selected Canadian cities, 1986–2005

Daily maximum temperatures during June, July and August from 1986 to 2005 were correlated with all non-traumatic deaths using the Generalized Additive Statistical Model.^{48,49,c,d}




Source: Adapted from B. Casati and A. Yagouti, *in press*.⁵⁰

^c For each community, meteorological data from Environment Canada’s National Climate Archive were selected based on the meteorological station’s proximity to Statistics Canada’s census divisions and subdivisions where deaths occurred. Relative mortality was then calculated by standardizing daily total non-traumatic deaths using an annual reference value. An average mortality for June, July and August of each year for 1986 to 2005 was first calculated; this number is each year’s “reference value.” Then, the daily relative mortality was obtained by dividing each daily total deaths by their correspondent reference value. This standardization was performed to account for interannual trends due to changes (e.g. demographics, urban landscape) over the time period analyzed.

^d For a more detailed description of the methodology used to develop these mortality curves, see Curriero *et al.*, 2002 and Kim *et al.*, 2006.^{48,49}

Figure 3: Comparison between temperatures in a Montréal duplex and in the ambient environment, July 7-9, 2010

Concordia University (Montréal) conducted a study on the indoor thermal conditions in 55 Montréal dwellings to better understand the impact of the urban heat island on indoor conditions during extreme heat. Indoor temperatures (green solid line) measured on the second floor of a two-storey building located on Montréal Island, from July 7 to 9, 2010, are graphed along with outdoor temperatures measured at Montréal's Pierre Elliott Trudeau Airport (orange dashed line). The graph demonstrates that on both days the indoor temperatures reached levels above 34°C/93°F. In addition, the lack of cooling at night was detected (shaded areas). The indoor temperature stayed above 31°C/88°F while the outdoor temperature was much cooler (about 24°C/75°F).




Source: Adapted from K. Park, et al., 2011.⁵⁸

An analysis of temperature trends by Environment Canada revealed that between 1971 and 2000, 29 southern Ontario communities experienced 10 to 15 days annually with temperatures over 30°C/86°F. Another five communities had between 15 to 25 days annually with temperatures over 30°C/86°F.⁵⁹ Some years had more hot days; for example, in 2005, temperatures over 30°C/86°F were recorded in Windsor and Toronto for 47 and 35 days, respectively. Temperature projections (Figure 4) indicate that the number of days with temperatures above 30°C/86°F in Toronto, Winnipeg and Fredericton are expected to almost double between 2041 and 2070. In Windsor, they

are expected to more than triple between 2071 and 2100. The projected increase in warm nights will also limit nighttime relief from the heat.

The increased number of extreme heat events resulting from climate change will impact the health of Canadians unless more adaptation efforts are made. For example, without further actions to manage the risks, projections suggest that there will be an increase of 150 excess deaths annually by 2020 in Quebec, 550 excess deaths by 2050 and 1,400 by 2080.⁶⁰ The actual number of deaths may be even higher due to population aging and a general increase in heat vulnerability.⁶¹

Figure 4: Historical and projected number of hot days and warm nights for selected cities in Canada^e



Source: B. Casati and A. Yagouti, *in press*.⁵⁰

2.2 Impacts of Air Pollution and Extreme Heat on Health

The health effects of exposure to both air pollution and extreme heat are of concern to public health authorities. There are complex relationships between high atmospheric temperatures, air pollution levels, types of air pollutants, individual behaviours and measures to protect the public. According to the Canadian Medical Association, in 2008 there were 21,000 deaths in Canada associated with the effects of air pollution alone.⁶² Limited evidence suggests that combined exposures to air pollution and extreme heat result in

synergistic impacts on health.⁶³ Air pollution and extreme heat could combine to impact health in three main ways:

Environmentally—High ambient temperatures increase the formation of air pollutants, such as ground-level ozone.^{63,64} Air quality can also be affected by forest fires, which occur more often in warmer and dryer climatic conditions.^{65,66} People exposed to ash and smoke from fires often experience eye irritation and respiratory irritation, leading to bronchitis.^{63,67}

^e Temperature projections were obtained from the Canadian Regional Climate Model (CRCM) developed by the Ouranos Consortium on Regional Climatology and Adaptation to Climate Change, which used the Special Report Emission Scenario A2.¹ The A2 scenario describes “a very heterogeneous world with high population growth, slow economic development and slow technological change.”¹ The number of hot days and warm nights for each city is based on the observed temperature data between 1961 and 2000, and projected for 2011–2040, 2041–2070 and 2071–2100.

Physiologically—Reduced pulmonary function or heart rate variability due to ozone or particulate matter pollution may lead to inadequate tissue oxygenation, especially under increased cardiovascular stress associated with an increase in thermoregulatory demands.^{68,69} Compromised respiratory function due to air pollution may also interfere with cardiovascular function during heat stress.⁶³

Behaviourally—Individual behaviour during extreme heat events may put people at higher risk to air pollution. People are likely to spend more time outside or leave their windows open, resulting in higher exposure to outdoor pollutants.

Properly designed measures to protect people from air pollution and extreme heat can result in immediate health co-benefits for Canadians. For example, reducing ambient temperatures by developing parks to provide shade and dissipate heat through evaporation and transpiration can lead to



Source: B.C. Ministry of Forests and Range

Wildfires in Osoyoos, British Columbia, 2003

greater levels of physical activity if they include more walking and biking paths as alternative transportation routes. This can contribute to reduced air pollution and active Canadians, both of which are associated with positive health outcomes.^{70,71}

3 Preparing for the Health Impacts of Extreme Heat

The combined influences of increasing urbanization, an aging population, and a projected increase in the exposure of Canadians to hotter temperatures due to climate change will likely be associated with negative impacts on population health in the absence of further adaptations.⁷² Currently, many communities in Canada and the United States are unprepared to deal with such events.^{53,73-76} Many people who are most vulnerable to heat-health risks do not take protective actions during extreme heat. They may not believe their health is at risk or not know about the measures that should be taken.^{29,77,78}

Health Canada recommends the development and implementation of HARS to prevent, prepare for and respond to health risks from extreme heat.

HARS reduce heat-related morbidity and mortality during extreme heat by alerting the public about the risks, directing the community response to help vulnerable populations, and providing individuals with information and other resources to help them take protective actions before and during an extreme heat event.^{73,79-81} The health risks associated with extreme heat events are most effectively reduced by:

- identifying target population groups and areas by conducting vulnerability assessments
- ensuring that a HARS plan is designed to address local needs and priorities
- engaging stakeholders who are best positioned to add value to a HARS
- issuing alerts with a community-specific trigger that is developed based on relationships between heat and health


- providing response measures that reduce heat-health risks and meet the needs of those most vulnerable to heat
- choosing communication strategies that increase awareness and change behaviours
- monitoring HARS activities and evaluating them at the end of the heat season
- implementing long-term preventative actions that reduce heat exposure and negative health outcomes

The following sections of the *Guidebook* provide information on core elements of HARS and their effective implementation. Given that Canadian communities are diverse (e.g. demographic makeup, population density, unique capacities to issue alerts and mobilize a response), the *Guidebook* offers multiple approaches that can be adapted to address heat-health risks. Relevant examples of actions to protect health from the experiences of communities in Canada and elsewhere are highlighted to offer useful approaches and tools for public health and emergency management officials.



3.1 Heat Alert and Response Systems to Protect Health

Alert systems that warn of impending dangerous conditions can be used to mobilize community resources to assist people in need. Well-targeted messages and outreach strategies can be effective in raising awareness of heat-health risks and result in behavioural change.⁸² Evaluations of existing HARS, though few in number, demonstrate that these systems help protect people from illness and death associated with extreme heat events.^{79–81} Analyses of past extreme heat events that resulted in the loss of life suggest that the lack of intervention



plans and limited coordination between social services and health organizations were likely major contributing factors to negative health outcomes.⁶

HARS require coordinated actions by government authorities at regional and local levels. Involvement of private sector participants and community groups is also crucial for reaching out to vulnerable groups.⁷³ The core HARS elements include:

- community mobilization and engagement
- an alert protocol
- a community response plan
- a communication plan
- an evaluation plan

Table 1 presents the core elements and preventative actions identified in select national and international HARS plans and guidance documents.

Core elements of HARS are implemented at different times. Some activities take place over the whole year (e.g. delivery of preventative actions, stakeholder education and awareness) while others take place during a specific time frame (e.g. public education and awareness, weather surveillance and analysis, evaluation) (Figure 5). The start and end dates for the heat season are determined by the local climate and the possibility of an extreme heat event occurring based on historical climate data and trends.

Weather forecasts are monitored daily during the months when extreme heat may pose a health risk.

When extreme heat is imminent, designated officials determine if the community-specific heat alert triggers have been reached and whether risks to health warrant activation of the HARS. If an alert is issued, internal and external partners are notified through pre-set communication activities, the public is informed of heat-health risks, and community response measures to assist heat-vulnerable people are often put into place.

Continued analysis of weather forecasts determines when weather conditions no longer pose a threat to health. The alert is deactivated through internal and external notifications, followed by a post-event debrief and evaluation. The weather monitoring continues until extreme heat is forecasted again and the HARS is reactivated, or until extreme heat events are unlikely to occur.

Figure 5: Timeline for implementation of core HARS elements and preventative actions



Table 1: Core elements of HARS and preventative actions^f

	WHO	EuroHEAT	U.S. EPA	Australia	England	Canadian Communities
Community mobilization and engagement —Requires a coordinating agency to prepare the community for the upcoming heat season by identifying community needs, recruiting stakeholders and developing plans to implement a HARS.						
Identify a principal coordinating agency	X	X	X	X	X	X
Engage broad stakeholders	X	X	X	X	X	X
Organize and develop HARS	X	X	X	X	X	X
Mobilize community	X	X	X	X	X	X
Lead pre-heat season preparations	X	X	X	X	X	X
Alert protocol —Identifies weather conditions that could result in increased morbidity and mortality in the region. The protocol is used to alert the public, as well as government officials and stakeholders, who then take pre-determined actions to protect health.						
Establish formal alert protocol	X	X	X	X	X	X
Reflect local weather conditions	X	X	X	X	X	X
Reflect heat-health vulnerabilities	X	X	X	X	X	X
Include activation protocol	X	X	X	X	X	X
Include deactivation protocol						X

Continue to next page

^f Heat-health documents and plans were reviewed to populate this table. They included *Heat-Health Action Plans: Guidance* (WHO),¹³⁷ *Improving Public Health Responses to Extreme Weather/Heat-Waves—EuroHEAT: Technical Summary* (EuroHEAT),⁷ *Excessive Heat Events Guidebook* (U.S. EPA),¹⁷⁷ *Heatwave Plan for Victoria: Protecting Health and Reducing Harm from Heatwaves* (Australia),¹⁴⁵ *Heatwave Plan for England: Protecting Health and Reducing Harm from Extreme Heat and Heatwaves* (England).¹⁴⁴ In addition, HARS plans from six Canadian communities (four Health Canada pilot communities and the cities of Toronto and Montréal) were reviewed. The existence of a specific HARS element in three or more of the six communities was required for this core element to be positively identified in the chart.

	WHO	EuroHEAT	U.S. EPA	Australia	England	Canadian Communities
Community response plan —Facilitates actions by individuals to protect themselves during periods of extreme heat by directing public health interventions aimed at reaching vulnerable individuals who require assistance.						
Establish formal community response plan	X	X	X	X	X	X
Include measures tailored to the needs of vulnerable populations	X	X	X	X	X	X
Stakeholder driven	X	X	X	X	X	X
Communication plan —Raises awareness about the impacts that heat may have on health and provides advice through media releases, interviews and websites on how to reduce health risks.						
Establish formal communication plan	X	X	X	X	X	X
Develop pre-season education and awareness campaign	X	X	X	X	X	X
Identify and plan to address contradictory messages	X		X	X	X	X
Include audience-specific heat-health messages and outreach strategies	X	X	X	X		X
Evaluation plan —Assesses HARS activities and facilitates improvements. Aims to evaluate the extent to which implemented measures are timely, relevant, effective and meet local priorities and contribute to the reduction of health impacts.						
Establish formal evaluation plan	X	X	X	X	X	X
Implement real-time health surveillance	X	X			X	X
Hold end-of-season evaluation	X	X	X		X	X
Preventative action: reducing the urban heat island —Addresses heat-health risks through measures designed to reduce urban heat.						
Investigate the urban heat island effect		X		X	X	X
Plan long-term (e.g. implement urban heat island mitigation measures)	X	X	X		X	X

3.2 Assessing Vulnerability to the Health Impacts of Extreme Heat

The vulnerability of individuals and communities to the health impacts of extreme heat varies according to the physiological sensitivity of the population, rates of exposure to these events, and the availability of programs and activities that directly or indirectly lower heat-health risks.

Identification of individual- and community-level vulnerabilities before the heat season is necessary to address the rapid onset of heat illnesses and analyze measures to protect health.⁹ These assessments determine existing levels of risk, increase understanding of individual and community vulnerabilities, and direct actions to improve resiliency through the implementation of HARS.⁴ Assessments also gauge community and individual capacity to adapt in the future, and identify responses needed to reduce adverse health impacts. Understanding vulnerability is an iterative process. Assessments improve with increased community involvement and processes that integrate the latest scientific research findings and health data. However, in Canada few formal heat-health vulnerability assessments have been conducted.⁸

Vulnerability to the health impacts of extreme heat can often be traced to a combination of factors operating at both individual and community levels.^{10,83} These include^{23,84,85}:

Individual factors

- **No air conditioner**—or not using it during extreme heat events
- **Poor health status**—chronic illness, need for medications that increase heat-health risks, dependence on caregiver, poor level of fitness, immobility, cognitive impairment

- **Social isolation**—limited access to heat-health information and services
- **Low income**—utility bill arrears, concerns with costs associated with running an air conditioner and accessing other cooling options, living in older housing that may gain heat and retain it even when outdoor temperatures decrease
- **Dangerous behaviours during extreme heat events**—strenuous physical activity, inadequate hydration, inappropriate clothing
- **Type and location of place of work and/or residence**—people in occupations with exposure to high temperatures or those living on higher residential floors without air conditioning

Community factors

- **Local climate**—frequency, length and severity of extreme heat events, humidity levels, nighttime temperatures, seasonal weather variability
- **Community design**—urban form (e.g. street orientation, building height and density), human activities (e.g. industrial processes, driving) and building materials (e.g. black roofs, concrete surfaces)^{86,87}
- **Community characteristics and events**—air pollution, outdoor events, influx of tourists
- **Limited availability and accessibility of services to cope with extreme heat**—public transportation, drinking fountains, health services, community outreach services, easy-to-access cooling options (e.g. places with air conditioning, community pools)²²
- **Safety and security of citizens**—perceived or real threats to personal safety that limit measures taken by individuals to escape the heat (e.g. opening windows, going to cool places)^{88,89}

⁸ For an example of vulnerability assessment see P. Berry, K. Richters, K. Clarke, M.-C. Brisbois. (2011). *Assessment of Vulnerability to the Health Impacts of Extreme Heat Events in Windsor*, prepared for the City of Windsor, Windsor, ON.¹⁷⁸

To help communities assess vulnerability to extreme heat events, Health Canada developed a guidance document, *Adapting to Extreme Heat Events: Guidelines for Assessing Health Vulnerability*.⁹⁰ Examples of the proposed methods and key tasks relating to six assessment steps are provided in Figure 6. Throughout the assessment, stakeholders should be engaged to provide neighbourhood-level information about

the conditions that make specific groups more vulnerable to extreme heat. They can also help identify effective adaptation measures to safeguard health, and strategies to overcome barriers to action that individuals and specific population groups may face. A sample partner questionnaire for assessing heat-health vulnerability that Health Canada developed for its pilot communities is provided in Appendix A.

Figure 6: Steps for conducting an extreme heat and health vulnerability assessment



Source: Reprinted from Health Canada, *Adapting to Extreme Heat Events: Guidelines for Assessing Health Vulnerability*, 2011.⁹⁰

3.3 Tips for Getting Started

To develop a HARS, it is important to identify an organization that will be responsible for leading the initiative. The lead organization coordinates overall development of the plan, engages partners and assumes the role of, or picks a local champion. The lead agency needs to be clearly identified to all participants. The stakeholders should understand their respective roles and responsibilities and be engaged in all stages of plan development. HARS plans will often differ among municipalities as they take account of the findings of vulnerability assessments related to community-specific needs and characteristics (e.g. regional climate, heat-vulnerable populations, budgetary allocations, organization of public health and emergency management officials, and environments affecting community heat exposure). They are also often integrated into, and complement, existing public health and emergency plans (Appendix B).

3.3.1 Developing a Heat Alert and Response System

Communities should develop a formal HARS plan that provides implementation guidance for alert, response, communication and evaluation components with information on⁷²:

- ultimate goals and intermediate objectives
- timelines for HARS activities

- geographic region of coverage
- lead organization
- vulnerable populations and stakeholders
- responsibilities of each partner (e.g. financial, response measures)
- mechanisms for coordinating activities and disseminating information among the lead organization, internal partners, community partners and the public
- back-up response plans for extreme heat and other emergencies (e.g. electricity shut-offs, water shortages)
- steps for phased HARS implementation
- evaluation plans with data requirements and methodologies
- processes and responsibilities for maintaining and updating the HARS plan

Challenges may arise during the initial stages of HARS development (Box 1). To help communities, a wide range of resources is available including guidance for conducting vulnerability assessments, information for health care practitioners on diagnosing and treating heat illnesses, tools for developing HARS communication strategies, and community- and region-specific meteorological and health data (Appendix C).

Box 1: Examples of anticipated challenges during HARS development

- limited human and financial resources
- conflicting priorities of public health and emergency management officials
- data accessibility and limitations (e.g. heat-related morbidity and mortality, accessibility to meteorological forecasts)
- engaging stakeholders and maintaining their interest in heat-health activities
- stakeholder information needs (e.g. data on temperature-mortality relationships, cost-effectiveness of interventions, tailored heat-health messaging products)
- obtaining senior management support for development and approval of a HARS
- coordinating stakeholders, municipal departments and levels of government
- limited understanding of heat-health risks among the public, community health officials and health care providers

3.3.2 Engaging Stakeholders

HARS efforts are most effective when local health officials, social service providers, voluntary agencies and weather service officials are engaged at the planning stages.^{6,74,91} For example, representatives from emergency planning organizations, home care

services, poverty and literacy agencies, homeless services, tourism centres, and active living and faith-based organizations are needed to ensure that the HARS plan includes partners that are integral to heat-health protection efforts in the community (Figure 7).

Figure 7: Examples of government and community partners participating in the Toronto Hot Weather Response Plan



Source: Toronto Public Health, 2009.⁹²

A stakeholder engagement plan should be developed and followed early in the process (Figure 8). The interest and engagement of stakeholders should be maintained and their contributions acknowledged by keeping them informed of important developments at each stage of the project. This can be achieved through face-to-face meetings, e-mail updates, the provision of detailed notes, and/or involvement in the decision-making process. Pre-season discussions with key stakeholders offer an opportunity to gather input to validate or modify existing HARS protocols.

To facilitate engagement, partners should be provided with information about the nature and magnitude of risks to health from extreme heat, the potential impacts of climate change, and examples of adaptations that other jurisdictions have used successfully. Many non-professionals may not be familiar with professional jargon or wording and may require an audience-appropriate




orientation and education support. Questions about HARS development that can be expected from stakeholders include:

- Why develop a HARS now, and why take action on heat over other natural hazards?
- What is the risk to health in our community from extreme heat events (past data: number of hot days, humidex values)?
- What are the projections for extreme heat events in the future for our community?
- What trigger should be used to issue heat alerts?
- What public messages should be used?
- Who are most vulnerable to the heat-health impacts in our community and where are they located?
- How can vulnerable groups be reached?
- What role could my organization play in responding to or preparing the community for extreme heat events?
- How will the HARS be maintained over the long term?

It is important to recognize information gaps and provide material in a timely manner that will help address important questions so the HARS can be improved and the credibility of the process maintained.

Figure 8: HARS stakeholder engagement approach



Source: Adapted from Ebi, K. L. et al., 2011.⁹³

Case Study 1

How Fredericton Developed a Heat Alert and Response System from the Ground Up

The City of Fredericton, New Brunswick (N.B.), is one of four Health Canada pilot communities that introduced a HARS in 2009. The specific HARS objectives were to:

- ▶ develop partnerships with local stakeholders to support their engagement
- ▶ develop heat alert and response protocols
- ▶ increase public awareness of heat-health risks and change behaviours
- ▶ increase community support to at-risk populations during heat episodes
- ▶ identify best practices for communication and share information among agencies to reduce heat-health risks among the public

Early in the development stages, a lead organization (N.B. Department of Health, Health Protection Branch) was identified and a project coordinator was assigned to supervise and roll out the HARS. A core group of stakeholders was recruited, including the District Medical Officer of Health, Canadian Red Cross, the N.B. Emergency Measures Organization, Environment Canada, Meals on Wheels, and the N.B. Home Support Association. To gain their interest on heat-health issues and HARS development, stakeholders were provided with health and environment data, including:

- ▶ Environment Canada data demonstrating that Fredericton has historically experienced a higher number of days (along with the central portion of the province) with humidex values above 35 compared with other regions in the Maritimes
- ▶ mortality curves demonstrating strong relationships between non-traumatic deaths, temperature and humidex
- ▶ temperature projections showing that by 2041 the number of days in Fredericton with temperatures above 30°C/86°F is expected to double
- ▶ experiences of other communities (e.g. Europe in 2003 and Chicago in 1995) demonstrating potentially severe detrimental heat-health outcomes

The lead agency established a HARS Advisory Committee to provide guidance on how to develop the HARS, including a public education program to reduce morbidity and mortality during extreme heat events. Regular committee meetings, e-mail updates, telephone discussions and personal contact with the individuals representing organizations were necessary to keep everyone engaged and focused. Information provided by community partners on the needs of the target audiences, availability of data and information resources, identification of community-specific risk factors and educational opportunities helped shape development of the HARS.

Partners gave one-on-one training to their clients about heat-health risks and the HARS. They also distributed material directly to heat-vulnerable people, including older adults, homeless people, and people living alone with mental illnesses or physical limitations. The City of Fredericton also played a key role in the awareness campaign by including heat-health information on their website and in water utility bills mailed in the spring to 16,000 households in the city. In addition, a direct link to heat-health resources is displayed on the City of Fredericton homepage during the summer months. When an alert is issued a message is disseminated for its duration and a press release is sent to news agencies.

For more information on the Fredericton HARS, visit www.fredericton.ca/heatalert.



Source: City of Fredericton and Government of New Brunswick

3.4 Developing an Alert Protocol

Weather alert systems have proven effective in reducing morbidity and mortality from a range of weather hazards.⁹⁴ In many Canadian and international jurisdictions, public health and emergency management decision-makers use rapid communication systems to alert the public, as well as health and social services agencies, of impending hazardous weather conditions so that actions can be taken to protect health.²⁹

3.4.1 Identifying an Alert Trigger

Alert triggers protect human health when they are based on knowledge of community- and region-specific weather conditions that result in increased heat-related morbidity and mortality.

– S. Hajat, et al., 2010; S. Hajat and T. Kosatsky, 2009^{41,95}

An alert trigger should be based on a physiological definition of an extreme heat event—one in which the intensity and duration of the event is associated with increased morbidity and mortality of a specific population.⁹ The alert trigger is usually a community-specific numerical value derived by one or more meteorological parameters (e.g. temperature, humidity) that are forecasted to last for one or more days.⁹⁶ It is determined by:

- extreme heat event timing, intensity and duration
- forecasted maximum and/or minimum temperature and/or humidex
- synergistic risks to health from other meteorological conditions (e.g. air quality)
- contributing factors (e.g. power outages, water shortages)

An alert trigger approach that is transferable to all communities and is most effective in accurately identifying different levels of health risk has not been identified in the literature to date.^{41,95,h} Few communities in Canada and elsewhere have systematically examined the association between the trigger they are using and resultant health outcomes, or other measures of effectiveness.⁴¹ To help communities identify an alert trigger approach for their unique needs, some strengths and weaknesses of select triggers used in Canada and internationally are highlighted in Table 2.

Communities should choose a trigger approach for their HARS that is best able to contribute to a reduction in heat-health impacts. Whatever approach is adopted, it should allow sufficient lead time to activate outreach and response plans as well as advise stakeholders and the public of an extreme heat event at least one or two days before it occurs.^{96–98} In addition, the trigger should reflect community needs, response capacities, existing public health standards and requirements, specific vulnerabilities (e.g. cities with cooler average temperatures, less air conditioning and higher population density^{99,100}), and changing population demographics and needs. This will ensure that the trigger is effective and guards against the development of public apathy associated with activating an alert too often.^{81,95}



^h For a good evaluation of HARS alert trigger, see L.-A. Roy, K. Price, M. Pâquet *et al.* *Canicule 2010 à Montréal*. Developed by the Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal, 2011.¹⁷⁹

Table 2: Examples of triggers used in Canada and internationally to issue a heat alertⁱ

Strengths	Weaknesses
<p>Trigger: Temperature—In Canada, air temperatures are measured at Environment Canada’s meteorological stations and reported in degrees Celsius.</p>	
<ul style="list-style-type: none"> › Widely used. › Minimum and maximum thresholds account for day- and nighttime risk.⁹⁶ › Easy to communicate. › A well-understood measure of thermal comfort. › Forecasted by Environment Canada across Canada with relatively high accuracy.⁹⁵ 	<ul style="list-style-type: none"> › Often measured at airports and therefore may not represent community conditions where most vulnerable populations reside. › Does not account for other environmental parameters (e.g. humidity, radiant load, wind speed) or for air pollution.
<p>Trigger: Humidex—Environment Canada defines humidex as “an index (a computed value as opposed to something measured) devised to describe how hot or humid weather feels to the average person. The humidex combines the temperature and humidity into one number to reflect the perceived temperature.”^{101,102,j}</p>	
<ul style="list-style-type: none"> › Environment Canada issues Humidex Advisories for many Canadian communities to alert the public and authorities of potential heat-health risks. › Easy to communicate and widely understood. › Has been reported by Environment Canada since 1965.¹⁰³ 	<ul style="list-style-type: none"> › Humidex is not forecasted by Environment Canada; however, the Weather Network humidex forecast may be monitored and used for issuing an alert. › Accuracy of humidex forecasts is lower than temperature forecasts.⁹⁶ › Humidex Advisories issued by Environment Canada are not adjusted to reflect local needs and vulnerabilities. › Does not account for other environmental parameters (e.g. radiant load, wind speed) or for air pollution.
<p>Trigger: Temperature and/or humidex in combination with daily morbidity and/or mortality—Hospital admissions and coronary reports are factored into the decision-making process to trigger an alert or upgrade to a higher alert level.</p>	
<ul style="list-style-type: none"> › Directly linked to heat-health outcomes and may be more protective of health.¹⁰⁴ › Allows for tailoring to community-specific heat vulnerabilities. › Allows for more efficient use of public health resources for community heat response. 	<ul style="list-style-type: none"> › Requires use of real-time syndromic surveillance system for heat. › Requires real-time monitoring for heat. › Challenges in data analysis and integration. › Mortality may not peak until a few days after the onset of extreme heat.⁸³

Continue to next page

ⁱ This is not a complete list of alert triggers. This list aims to provide the reader with the most common triggers used in Canada and some communities in United States that border Canada.

^j To calculate humidex, visit the Environment Canada website www.ec.gc.ca/meteo-weather/default.asp?lang=En&n=86C0425B-1.

Strengths	Weaknesses
<p>Trigger: Humidex and/or temperature in combination with air pollution—Measure of thermal discomfort is combined with air quality to trigger an alert. Currently, single pollutant measurements are often used to initiate or upgrade an alert. The Air Quality Health Index (AQHI) measures a combination of three pollutants known to impact human health. It is a non-threshold scale and does not have a specific national advisory level, although an advisory system is available to jurisdictions through Environment Canada.</p>	
<ul style="list-style-type: none"> › Accounts for negative health outcomes resulting from poor air quality. › Allows communities to prepare for heat- and air quality-related health impacts.¹⁵ › Simplifies the process by combining two alerts into one, which provides opportunities to develop unified messages for the public. 	<ul style="list-style-type: none"> › Air quality is variable across a community and may not represent region-specific effects.^{105,106} › The threshold does not account for individually specific physiological responses to air quality, which requires self-assessment.¹⁰⁷ › If poor air quality is an essential criterion to trigger an alert, dangerous heat-health conditions may be overlooked in the absence of poor air quality. › Based on limited research about synergistic impacts of air quality and heat on health.
<p>Trigger: Spatial synoptic classification of air masses—This system classifies air masses from dry to moist tropical air and identifies the most dangerous to health based on historical mortality data.</p>	
<ul style="list-style-type: none"> › Accounts for¹⁰⁸: <ul style="list-style-type: none"> › environmental parameters that could result in negative health outcomes (e.g. extreme heat event duration, intensity, timing), › local climate, › community vulnerability, › probability of increased mortality as a result of heat exposure. 	<ul style="list-style-type: none"> › Complex system to develop. › Data analysis and interpretation requires training and expertise. › Challenges with explaining how system works to the general public.
<p>Trigger: Wet Bulb Globe Temperature (WBGT) index—Considers four environmental factors: temperature, humidity, radiant load and air movement, and integrates them into one index that is used to call alerts.</p>	
<ul style="list-style-type: none"> › Accounts for many environmental parameters that could result in negative health outcomes. › A physiologically-based heat-stress metric and therefore should provide greater health protection. › Established history of use in occupational settings (i.e. recognized by the International Organization for Standardization, ISO 7243).¹⁰⁹ 	<ul style="list-style-type: none"> › Currently not reported or forecasted by Environment Canada. › Few evaluations of this system to date. › Training and expertise is required for data analysis and integration. › Challenges in communicating this metric to the public due to lack of “feels like” component.
<p>Trigger: Heat Index (HI)—A “measure of how hot it really feels when the relative humidity is added to the actual air temperature” and is reported in degrees Fahrenheit.^{110,k}</p>	
<ul style="list-style-type: none"> › Accounts for temperature and humidity. › Commonly used by communities in the United States for communicating heat-health risks. 	<ul style="list-style-type: none"> › Does not account for other environmental parameters (e.g. radiant load, wind speed) or for air pollution. › Canadian public is not familiar with this measure of heat risk.

^k To calculate the Heat Index, visit the National Weather Service Weather Forecast Office website www.hpc.ncep.noaa.gov/html/heatindex.shtml.

An alert system may include more than one trigger to allow for activation of different levels of community response. Some systems include:

- a trigger to notify key partners (e.g. heat watch)
- a trigger to notify a broader range of stakeholders, often accompanied by a public alert (e.g. heat warning)
- an enhanced trigger (e.g. heat emergency) to initiate an aggressive community response to help people requiring assistance

A range of community response measures (e.g. water distribution, opening of cooling facilities, outreach to the most vulnerable) may be initiated to help heat-vulnerable people cope with extreme heat (Section 3.5).⁹² Triggers that result in a frequent change in alert levels or a higher alerting level being reached for only one day often present operational difficulties and should be adjusted.¹¹¹

In Canada, the wording used for issuing heat alerts and triggers are diverse (Appendix D). This can lead to confusion among the public in adjacent communities and among public health officials in regions with similar climatic conditions. Greater alignment of wording and triggers, when supported by heat-health outcome data, will improve the practical implementation and effectiveness of community HARS. To communicate graduated heat-health risks to the public through alert systems, some communities (e.g. Hamilton, Fredericton, Windsor) are using heat meters (Box 2), which raise awareness that risks to health increase with temperature. This approach is also used in forest fire prevention campaigns (Box 2, D).

Weather conditions that may not meet alerting requirements can also be dangerous to health. These conditions may become more common with climate change and warmer summers may result in an increased state of exhaustion in heat-vulnerable people.^{96,115} Therefore, engaging in broad awareness activities is essential to minimize risk even when alerts are not issued.



Box 2: Graduated alert systems used to communicate risks

A: The City of Fredericton uses Level 1, Level 2 and Level 3 to communicate heat-health risks.



Source: City of Fredericton and Government of New Brunswick.¹¹²

B: The City of Hamilton uses “Monitoring,” Stage 1, Stage 2 and Stage 3 to communicate heat-health risks.



Source: City of Hamilton, Ont.¹¹³

C: The Marine Corps Logistics Base uses a flag warning system to communicate heat-health risks.



Source: Marine Corps Logistics Base, Albany, New York.¹¹⁴

D: Canadian Forest Service (Natural Resources Canada) developed Canadian Forest Fire Danger Rating System used to communicate forest fire risks.



Source: Natural Resources Canada.

3.4.2 Calling Alerts

The alert protocol, as defined by set criteria, identifies the lead agency or person responsible for issuing an alert, outlines communication activities, and specifies the deactivation point where meteorological conditions are no longer a health threat. When meteorological and other relevant conditions meet alerting requirements, the lead agency employs pre-identified activities to communicate weather forecasts and health risks to the public and partnering community agencies (Section 3.6). In many communities, it is the public health authority (e.g. Medical Officer of Health) that is responsible for making the decision to issue a heat alert, upgrading to higher stages of an alert and issuing a deactivation notice.^{92,112,116–121}

When developing an alert protocol, it is important to consider that the first extreme heat event and ones that occur early in the season are the most dangerous to health.^{122,123} Therefore, earlier warnings can be used to prime the public and prepare the community.⁸¹

When deciding whether to move to a higher alert level, some communities consider additional factors that may also be included in the notification. For example:


- surveillance data showing increases in morbidity and mortality⁹⁶:
 - › daily deaths (e.g. daily activity of funeral homes)
 - › daily calls to health information lines
 - › daily ambulance calls
 - › daily emergency room visits
 - › occupancy rate of emergency room beds
- increased risk of forest fires and/or poor air quality
- likelihood of an electrical emergency, existing blackouts or rotating power outages

- drinking water availability
- nighttime temperatures (cooler evenings can offer nighttime relief for the population)
- likelihood of heat-vulnerable people being left alone
- reduced capacity of health care providers to respond due to other commitments, disease outbreaks, or labour disputes
- time of the week (weekends may affect staff availability)
- time of the season (peak vacation periods may affect staff availability)
- major outdoor events (e.g. concerts, sporting events)
- expected influx of visitors

As heat-related mortality may peak only a few days after exposure to high temperatures,¹²⁴ public health authorities need to consider the state of readiness in a community and the capacity to mobilize a response over an extended period of time.

When a heat alert is issued, weather conditions should continue to be monitored to determine when heat no longer poses a health risk. Once conditions are no longer a threat to public health, the alert should be deactivated, along with the response measures that were taken. To account for any “lag effect” in health impacts and ensure that the deactivation of an alert is not premature, some communities continue heat-alert activities for a few days after extreme heat conditions expire.^{73,111,116,125} In addition, following the alert deactivation, some authorities continue to encourage residents to take extra care when exposed to heat, warn about retention of heat in homes with no air conditioning and highlight the need to continue to pay close attention to those at risk.¹²⁶

Figure 9: Montréal HARS activation and deactivation decision flowchart¹



Source: Agence de la santé et des services sociaux de Montréal (Bureau des mesures d'urgence de la Direction de santé publique de l'Agence et coordination des mesures d'urgence et sécurité civile de l'Agence); Plan régional sociosanitaire de prévention et protection en cas de chaleur accablante et de chaleur extrême (2011).¹⁷⁹

¹ List of abbreviations: Direction de santé publique de l'Agence (DSP), DSP–Emergency Management Office (DSP–EMO), DSP–Environnement urbain et santé (DSP–EUS), Health and Social Service Centre (CSSS), Civil Security Advising Committee (CSAC).

Case Study 2

How Winnipeg Chose its Heat Alert and Response System Alert Triggers

Winnipeg, Manitoba, developed a multi-level alert protocol with multiple triggers as part of its HARS. The alert levels include:

- ▶ **Heat Pre-Alert**—communication only to internal partners
- ▶ **Heat Alert 1**—communication to the public and community stakeholders, as well as initiation of some response measures if required
- ▶ **Heat Alert 2**—activation of some response measures and enhanced messaging
- ▶ **Heat Alert 3**—delivery of aggressive response measures, more targeted messaging and increased community mobilization

The Winnipeg HARS Advisory Committee, which is responsible for guiding the development of the HARS, established a Heat Scientific Group led by the provincial Medical Officer of Health (Environmental Health). The Group includes officials from provincial public health, the Winnipeg Regional Health Authority, Environment Canada, provincial communications office and provincial health emergency management. Its mandate includes evaluating existing evidence demonstrating that heat is a health risk in Manitoba (rural and urban), identifying HARS best practices and deciding on alert triggers. To develop appropriate triggers, multiple factors were considered, including humidity and temperature, the location of vulnerable populations, accuracy of weather forecasts, and existing capacity for surveillance of heat illnesses. Historical data and their correlation with mortality were also examined.

Through this process, the Group decided that a heat alert would be issued when specific temperature or humidex triggers were reached. Humidex was chosen because of its physiological relevance and its known correlation with mortality. Humidity reduces the ability of a body to cool through sweat evaporation. It is also a measure of perceived temperature that is widely understood in Canada. Humidex is not currently forecasted by Environment Canada publicly; however, the Weather Network does provide this service. Temperature was also chosen as the basis of a second trigger because, although it is less physiologically relevant, longer historical records of temperature exist in Manitoba and it is forecasted with higher accuracy than humidex.

The specific triggers for issuing alerts using humidex and temperature were based in part upon evidence of the correlation between these two variables and daily deaths in Winnipeg (Figure 10). The triggers also account for nighttime temperatures by identifying minimum, in addition to maximum trigger values, that have to be reached to issue each alert level. The alert protocol takes into consideration the intensity and duration of the extreme heat event and the lack of certainty associated with forecasts. Greater weight is placed on occurring weather conditions, rather than forecasted values, in the decision to activate higher alert levels.^m




Source: Government of Manitoba

Continue to next page

Case Study 2

How Winnipeg Chose its Heat Alert and Response System Alert Triggers

Figure 10: Association between non-traumatic daily deaths and maximum daily temperatures (A) or humidex (B) in Winnipeg, 1986–2005ⁿ



Source: Adapted from B. Casati and A. Yagouti, *in press*.⁵⁰

Before any notifications of a heat alert are made, a risk assessment is conducted that considers environmental parameters, as well as any additional information about health outcomes during extreme heat events. For example, this may include identification of impacts of heat on health from real-time surveillance and anecdotal reports of heat-related incidents by front-line medical staff, private physicians and community workers, among others.

The alert is deactivated when the forecast no longer meets the trigger criteria and the lead provincial Medical Officer of Health and Manitoba Health's Office of Disaster Management decide that heat is no longer a health risk. The efficiency and accuracy of the triggers will be evaluated at the end of each extreme heat event and each heat season and, if necessary, will be re-calibrated to reflect experiential knowledge, optimize the use of resources and maximize the public's responsiveness and adaptation to extreme heat events.

For more information on the Winnipeg HARS, visit www.gov.mb.ca/health/publichealth/environmentalhealth/heat.html.

^m Draft HARS alert triggers include:

Heat Pre-Alert: Forecast of at least three days with maximum temperature (Tmax) average $\geq 32^{\circ}\text{C}$ plus minimum temperature (Tmin) average $\geq 19^{\circ}\text{C}$ OR forecast of humidex with at least one day ≥ 37 .

Heat Alert 1: Forecast of at least three days with Tmax average $\geq 33^{\circ}\text{C}$ plus Tmin average $\geq 20^{\circ}\text{C}$ OR day one with humidex ≥ 40 OR forecast of at least one day with humidex ≥ 40 .

Heat Alert 2: Day one with Tmax $\geq 33^{\circ}\text{C}$ plus Tmin $\geq 20^{\circ}\text{C}$ plus a forecast for at least next two days with Tmax average $\geq 33^{\circ}\text{C}$ and Tmin average $\geq 20^{\circ}\text{C}$ OR day one with humidex ≥ 40 plus a forecast of at least one more day with humidex ≥ 40 .

Heat Alert 3: Days two or more with Tmax average $\geq 33^{\circ}\text{C}$ plus Tmin average $\geq 20^{\circ}\text{C}$ plus a forecast for at least next two days or more with Tmax average $\geq 33^{\circ}\text{C}$ plus Tmin average $\geq 20^{\circ}\text{C}$ OR day two or more with humidex ≥ 40 plus a forecast of at least one more day with humidex ≥ 40 OR forecast of at least one day with humidex ≥ 45 plus a forecast of at least one more day with humidex > 40 .

ⁿ A best-fit curve is shown with a thick solid line and a 95% confidence interval is shown with two thin dotted lines.

3.5 Developing a Response Plan

A HARS response plan has the ultimate objectives of directing public health interventions to vulnerable people who require assistance and facilitating actions by individuals to protect themselves during extreme heat. Measures in a response plan should be based on the relationship between heat and human health, which is defined by existing risk factors, the potentially rapid onset of heat illness and death, and specific challenges faced by heat-vulnerable groups.⁹

A response plan provides information on the actions that the lead agency and community partners will take to reduce heat-related morbidity and mortality when an extreme heat event is forecasted and action is triggered.

– J. McInnes, et al., 2008⁹

There is no one-size-fits-all solution for developing a community response plan. The involvement of many government agencies and non-governmental organizations with knowledge of the specific needs and vulnerabilities of different population groups is required. An effective response plan relies on the outreach capacity of stakeholders. It is also tailored to the specific needs of a community and its vulnerable populations. A timely response requires that measures to protect health can be activated when alerting conditions are forecasted and the trigger is reached—before extreme heat arrives.⁷³

A response plan should include measures needed to overcome obstacles that people face when trying to take protective measures. Obstacles could include obtaining information about current weather conditions or accessing cooling facilities (Table 3). Response plans should consider the ability of first responders and caregivers to reach vulnerable populations.

Table 3: Heat-vulnerable groups and examples of challenges they may face in adapting to extreme heat events

Heat-Vulnerable Groups	Examples of Challenges
Older adults¹¹	<ul style="list-style-type: none"> • Physiological characteristics that may contribute to increased vulnerability to heat: <ul style="list-style-type: none"> > reduced thirst sensation¹²⁷ > reduced fitness level > reduced sweating ability¹²⁸ > increased susceptibility to chronic dehydration¹²⁷ • Visual, cognitive, and hearing impairments • Agility and mobility challenges • Differing perceptions of risks and vulnerabilities based on life experiences • Reduced literacy • Social isolation
Infants and young children²⁴	<ul style="list-style-type: none"> • Physiological and behavioural characteristics that may contribute to increased vulnerability to heat: <ul style="list-style-type: none"> > increased body heat production during physical activity¹²⁹ > faster heat gain from the environment if air temperature is greater than skin temperature owing to greater surface-area-to-body-weight ratio¹²⁹ > inability to increase cardiac output²¹ > reduced sweating¹³⁰ • Dependence on caregiver to recognize heat impacts and take recommended actions

Continue to next page

Heat-Vulnerable Groups	Examples of Challenges
<p>People with chronic illness or who are physically impaired¹⁰</p>	<ul style="list-style-type: none"> • Physiological characteristics that may amplify health risks, such as failing cardiovascular or respiratory systems³⁷ psychiatric illnesses,¹⁰ renal illnesses¹³¹ • Taking certain medications that affect heat sensitivity by interfering with the body's cooling functions or water/salt retention (e.g. antihypertensives,²⁵ antidepressants,²⁶ antipsychotics,^{26,27} anti-Parkinson's agents²⁷) • Confined to bed or dependence on caregiver, family or friends for assistance with daily living (e.g. water access) • Communication, sensory or cognitive impairment • Characteristics related to health status or behaviour (e.g. chronic dehydration, shut-in or does not leave home) • Social isolation
<p>Socially disadvantaged individuals and communities:</p> <ul style="list-style-type: none"> › Low income²³ › Homeless²⁸ › Living alone¹⁰ 	<ul style="list-style-type: none"> • Limited financial resources to adequately take protective actions • Reduced access to clean water and cool places • Limited access to health care and social services • More environmental exposures (e.g. homeless, living on higher floors with no air conditioning⁵⁵) • Higher rates of alcohol and drug dependency • Social isolation
<p>Newcomers to Canada and transient populations, such as tourists</p>	<ul style="list-style-type: none"> • Language and literacy barriers for non-English or non-French speakers • Cultural differences, such as food consumption habits, clothing choices, and pre-existing social or cultural beliefs • Unique media use patterns • Limited knowledge of local alert systems, health and social service programs
<p>Occupational groups</p>	<ul style="list-style-type: none"> • Environmental and workplace exposures (e.g. farmers, construction workers, miners, tree planters) • Increased physical strain • Variation in health and safety regulations, codes, and standards • Irregular exposure to heat (i.e. lack of acclimatization) for new workers with job-related heat exposures and those faced with early season extreme heat events³⁷
<p>The physically active^{30,31}</p>	<ul style="list-style-type: none"> • Greater environmental exposures (e.g. marathon runners, recreational athletes, people who walk or bike) • Increased physical strain • Reduced perception of risks and heat vulnerabilities • Expectation of usual performance in the heat

Source: Reprinted from Health Canada, Communicating the Health Risks of Extreme Heat Events: Toolkit for Public Health and Emergency Management Officials, 2011.¹³²

When choosing response measures, priority should be placed on actions that are most effective in reducing heat-health risks (e.g. staying cool and hydrated, checking on those at risk).^{9,133} Many measures are available to communities to use as part of their response plans. Box 3 highlights

measures that have been drawn from analysis of HARS community response plans in Canada and elsewhere, the experiences of Health Canada's pilot communities, as well as workshops and consultations with experts.

Box 3: Possible HARS community response measures^o

Before an extreme heat event and during seasonal readiness

- Identify heat-vulnerable populations and target groups
- Meet with key community partners to review and plan for the upcoming heat season
- Perform real-time surveillance of heat-health impacts (e.g. mortality rates, emergency calls and visits, calls to hotlines, records from health care providers)
- Incorporate preparations for extreme heat events as part of normal hospital emergency and pandemic planning
- Schedule deployment of public health staff to cover extreme heat emergencies
- Plan for summer vacations by identifying and educating substitute staff to ensure adequate coordination of activities and communications
- Offer in-service training for public health staff
- Offer education and training to residential building managers of heat-vulnerable groups
- Update and coordinate dissemination of resources for HARS implementation
- Develop plans for possible brown- and black-outs
- Identify measures to help heat-vulnerable people manage higher electrical bills from running an air conditioner during extreme heat events
- Provide rebates and subsidies on fans^p and air conditioners
- Offer registration services to receive notifications or home visits during alerts (family members may want to register those at risk or people can register themselves)
- Develop a “buddy” and/or Neighbourhood Watch program
- Plan to provide drinking water (e.g. install water fountains, identify portable water stations, identify water options for homeless shelters)
- Plan to offer cooling options (e.g. splash pads, reflective pools, community parks, community swimming pools)
- Identify cooling facilities and ensure that they are equipped with provisions (Section 3.5.1)

^o Response measures need to be chosen based on the expected benefits for a particular community. Further research is needed on their effectiveness.

^p Knowledge of risks and benefits of fan use during extreme heat and high humidity periods is incomplete due to limited research. Some studies have found no association between fan use and the onset of heat stroke,^{23,180,181} whereas others indicate that fan use is slightly protective.¹⁰ Educating people on the proper use of fans is likely to increase the benefits of this intervention. See Health Canada (2011)¹³³ for information about proper fan use.

Continue to next page

- Identify transportation options to get people to and from cooling facilities
- Encourage healthy life-style choices (e.g. healthy food options, physical activity, social interactions)
- Distribute information to community service providers (e.g. street outreach) and issue public service announcements with reminders about health risks from extreme heat

During an extreme heat alert

- Coordinate financial and volunteer resources
- Organize press conferences to get messages out to the public
- Closely monitor heat-related morbidity and mortality
- Open well-identified cooling facilities (e.g. public libraries, facilities already catering to heat-vulnerable people)
- Extend hours of air-conditioned facilities and places where people are likely to seek heat relief (e.g. swimming pools)
- Open cooling shelters with overnight capabilities
- Provide cooling rooms in residences and apartment buildings, especially if they cater to heat-vulnerable people
- Provide portable water stations and/or distribute drinking water to homeless shelters
- Provide maps with locations and hours of operation of cooling facilities and drinking water stations
- Reduce the cost of swimming at community pools or make it free
- Offer movie tickets to air-conditioned theatres at reduced cost or for free
- Provide transportation support to and from cooling facilities (e.g. bus tickets, taxi cards [may require pre-registering])
- Provide financial assistance for utility bills
- Check on pre-registered heat-vulnerable people (visit, telephone call)
- Open telephone lines (e.g. 211, 311, 811, “Heatline”) to provide advice to the public
- Deliver services to specific heat-vulnerable groups (e.g. outreach to the homeless)
- Distribute umbrellas or wide-brimmed and breathable hats to those in need
- Modify or cancel scheduled sports and outdoor events at daycares, summer camps, etc.
- Modify work-rest cycles for workers exposed to extreme heat
- Activate response plan(s) in hospitals and personal care homes
- Increase staff:
 - › re-deploy emergency response and public health workers to respond to heat-health emergencies
 - › address the needs of volunteers who could be from heat-vulnerable groups (e.g. provide an air-conditioned environment and assign tasks that are not strenuous)
 - › assign lifeguards at lakes and beaches to prevent drowning accidents
 - › ensure police presence in neighbourhoods with high crime rates to encourage people to go to cooler places



Source: City of Vancouver, B.C.

Source: Response measures are based on recommended actions and those being taken by Canadian and international communities.^{9,72,80,112,116,119-121,134-136}

3.5.1 Cooling Facilities

Using air conditioning or visiting cool environments can be highly effective in minimizing heat fatalities—especially for people with chronic conditions or those taking medications that interfere with thermoregulation.^{10,11} Despite its benefits, air conditioning may contribute to an increase in greenhouse gases and air pollution if the energy consumed is from burning fossil fuels.¹³⁷ It therefore should not be relied on as the only solution for addressing risks to health from extreme heat in a community. Long-term preventative actions are necessary to address heat-health risks in a sustainable manner (Section 3.8).

Many Canadians do not have air conditioning in their homes.¹³⁸ For this reason, some communities offer cooling facilities as part of their response measures (e.g. Toronto, Hamilton, Montréal, Ottawa). These include air-conditioned places or recreation facilities such as:

- libraries
- recreational or community centres
- city halls
- places of worship
- senior centres or legions
- bingo halls
- shelters
- cool rooms in apartment buildings established by landlords
- museums
- shopping malls
- movie theatres
- swimming pools
- spray pads
- public beaches or tree-shaded parks

When appropriate, cooling facilities should have back-up energy sources in case of power failures, as well as provide access to:

- drinking water
- cots, if needed
- medical supplies
- heat-health education material
- trained staff or volunteers who have excellent interpersonal skills, can recognize signs and symptoms of heat illnesses and who know actions to take in case of illness
- a safe and secure environment

Research has revealed some limitations in the effectiveness of community cooling centres in reducing heat-health risks among the most vulnerable older adults.^{23,80} To successfully reduce morbidity and mortality, cooling facilities should be made available during extreme heat events^{23,139} and be supported by:

- rigorous outreach strategies (Section 3.6, Box 4)^{139,140}
- accessibility features
- provision of amenities tailored to the unique needs of the visitors (e.g. older adults, homeless people, parents with children, pet owners)
- location in areas frequented by people requiring cooling
- convenient hours of operation
- the use of existing facilities known by and already catering to vulnerable people

The use of cooling facilities should be carefully evaluated and the results applied to improve their use.

Case Study 3

Community Response to Extreme Heat Events in the City of Ottawa

A Heat and Smog Action Plan, passed by Council in 2004, formalized a community response to extreme heat events in the City of Ottawa, Ontario. One goal of the *Plan* is to ensure the safety of heat-vulnerable groups in Ottawa by delivering timely emergency response measures when needed. During heat alerts, city officials work with a range of community service organizations to protect vulnerable populations by:

- ▶ distributing heat alert and heat warning notifications to targeted service providers by e-mail and fax
- ▶ converting all lane swims to leisure swims in city pools
- ▶ recommending places the public can go to cool down (e.g. city wading pools, splash pads, beaches, libraries, community centres)
- ▶ partnering with a local movie theatre that provides free and discounted movie tickets at a location that is easily accessible by public transportation
- ▶ deploying a street outreach van (through the Salvation Army) to offer water to homeless people and transportation to local shelters
- ▶ offering information via a 311 telephone service for inquiries, including contact with a public health nurse
- ▶ assigning public health nurses to visit heat-vulnerable populations living in high-rise buildings to ensure they are able to access cool environments. These visited buildings are identified in advance based on resident makeup (i.e. high number of seniors and young children, rooming houses, low income, lack of air conditioning)
- ▶ distributing fans to rooming house residents
- ▶ encouraging city departments (e.g. road crews, maintenance workers) to follow outdoor heat guidelines



Source: City of Ottawa, Ont.

Continue to next page

Case Study 3

Community Response to Extreme Heat Events in the City of Ottawa

Through its website and exchange with service providers, the City provides or supports community response measures before and during extreme heat events. It offers a *Hot Weather Resource Kit* that includes:

- ▶ “Beat the Heat This Summer!”—information on response measures implemented by the city and where people can go to cool down; includes a media backgrounder on a heat alert and a news release, and is available in 51 languages
- ▶ sample of a heat warning
- ▶ “What to Do in a Heat Wave”—information for the public on how to stay cool and hydrated
- ▶ “Screening Tool for Heat Illness” lists heat-illness risk factors and symptoms, and provides information on actions that should be taken to protect health
- ▶ individual handouts on heat stroke, dehydration, sunburn, medications and heat-related illnesses, fun facts
- ▶ links to information on park locations, pool schedules, summer safety for pets, working in hot environments
- ▶ “Extreme Hot Weather Initiative—Information Brochure for Service Providers to the Homeless”
- ▶ “Surviving Summer Power Outages During Heat Waves”

The city’s outreach and response efforts have been integrated into the activities of many community organizations. These organizations also take action on their own during extreme heat events. For example, the Ottawa Carleton Ultimate Association reminds players to take extra breaks, drink plenty of fluids, and seek out or bring shade to the game. The rules of the game are modified during a heat alert to ensure safety of the players by permitting heat-related substitutions and increasing the number of timeouts per period from 2 to 3 and increasing their duration from 70 seconds to 120 seconds.

For more information on the City of Ottawa HARS, visit http://ottawa.ca/en/health_safety/living/outdoor/hot/index.html.

Case Study 4

How a Rural Community in Manitoba Reduces Impacts on Health from Extreme Heat

Developing a HARS in a rural region in Manitoba within the Assiniboine Regional Health Authority (ARHA), required that health officials address challenges common to smaller communities and build on existing capacity. Establishing a temperature—mortality relationship was not feasible due to the large geographic area and low population density that limited the amount of data for the analysis.

Despite this, mortality curves of other neighbouring communities, including Winnipeg and Brandon, and historical temperature data for ARHA, provided sufficient evidence to demonstrate heat-health risks and support the development of a HARS. With support from the provincial and regional Medical Officers of Health, multiple partners were engaged to help with this task. This included disaster and emergency management officials, municipal government officials (e.g. mayor, chief administrative officer, local emergency management officers), Meals on Wheels, service providers for seniors, and Manitoba Housing.

An assessment of vulnerability through consultation with community groups helped to develop the ARHA HARS and prioritize community response measures. The assessment revealed that during the heat season, ARHA experienced an influx of visitors (e.g. golfers, campers, children attending camps); therefore, special efforts were needed to reduce the negative health impacts on these individuals as well as permanent residents from extreme heat events. Stakeholder consultations revealed challenges with providing cooling options because of a limited number of easily accessible air-conditioned buildings. In addition, issuing timely alerts was found to be difficult because of weekly media deadlines and limited local media coverage. As a result, response measures were identified to specifically address these challenges, build on existing strengths, and focus on increasing collaboration between the regional health authority and municipal planning staff. The ARHA HARS model focusses on:

- ▶ integrating the HARS into the ARHA Disaster Emergency Response Plan to ensure a robust and coordinated response
- ▶ ensuring that residents of long-term care facilities have access to air conditioning in common rooms



Source: Assiniboine Regional Health Authority, M.B.

Continue to next page

Case Study 4

How a Rural Community in Manitoba Reduces Impacts on Health from Extreme Heat

- ▶ establishing an alternate meal plan (cold plates) during alerts in long-term care facilities
- ▶ encouraging implementation of alternative work hours for some occupational groups (e.g. construction workers), where staff work evenings or nights to avoid intense heat during the day
- ▶ working with Manitoba Health to issue heat alerts and warnings to residents, schools, daycares, recreational groups, volunteer support groups, transient populations (e.g. campers) and sporting events
- ▶ developing response plans for Home Care clients which includes an assessment of the client's home environment and a care management plan for use if they should exhibit signs of heat illness
- ▶ contacting municipal departments, as required, to encourage appropriate preparations (e.g. check emergency response equipment such as fans, generators, back-up communications capability)
- ▶ using Emergency Medical Services staff to conduct home safety checks through the ARHA Home, Health, and Safety Check Program, thereby providing older adults with information on how to stay cool in hot weather, copies of heat-health fact sheets, and a directory of health-related services available within their local community
- ▶ putting volunteers on stand-by to assist at cooling facilities and with drinking water distribution
- ▶ arranging for health care staff to support individuals and communities, as required, throughout the region during extreme heat events

Strong community support and participation in the HARS, the use of volunteer networks and the existence of local health practitioners who personally know those at risk have been instrumental in the innovative approach public health officials have taken to reduce impacts from extreme heat.

For more information on the ARHA HARS, visit

www.assiniboine-rha.ca/index.php/news/plans_view/disaster_plan/.

3.6 Supporting a Heat Alert and Response System with Communication Activities

“Considerably more education is needed of the public and of the responsible agencies about the dangers associated with heatwaves and about the appropriate responses.”

– K.L. Ebi and G.A. Meehl, 2007, p. 11⁴¹

Effective communication of heat alerts and measures to reduce health risks is a fundamental requirement for successful HARS. Heat-health communication campaigns aim to increase knowledge of dangers from extreme heat and to influence individuals to adopt protective behaviours. Communication activities need to be delivered before and during the heat season and during extreme heat events through media (mass/broadcast and targeted), interpersonal networks and community events.¹³²

Several authorities in Canada and internationally provide heat-health education materials to help people minimize risks from extreme heat (e.g. Toronto, Hamilton, Montréal; United States Centers for Disease Control and Prevention). Despite these efforts, research suggests that many people are not acting on the information they receive urging them to take actions to reduce health risks.^{29,78,142} Many factors may contribute to this, including poor perception of heat-health risks, a general focus of the media on a few vulnerable groups and confusion in existing heat-health messages.²⁹ Inconsistent messaging in heat-health campaigns (e.g. fact sheets, media releases, websites) between different public health jurisdictions,

or arising from other health promotion campaigns (e.g. West Nile virus, air quality, sun safety, environmental initiatives, physical activity), might be partially responsible for challenges experienced in affecting behavioural change.^{17,29,132}

To increase the effectiveness of heat-health communication campaigns, collaboration is needed among different communities, stakeholders, public health, emergency management and municipal officials to deliver consistent, audience-appropriate and easily understood messages. Best communication practices to influence behaviours have been identified in *Communicating the Health Risks of Extreme Heat Events: Toolkit for Public Health and Emergency Management Officials*.¹³² Many strategies identified in Table 4 should be used to inform the development of a HARS communication plan and supporting materials for individual communities. These strategies are based on leading research and practices used by communities to communicate with vulnerable populations through health promotion campaigns.



Table 4: Examples of targeted communication strategies used to deliver heat-health messages

Older adults
<ul style="list-style-type: none">• Provide concise, clear and easy-to-understand information in large font and translated into appropriate and plain language• Disseminate heat information through health care providers (e.g. pharmacists, doctors, at-home care providers),¹³³ places of worship, retirement homes, landlords, family members, and inserts with selected medications• Distribute heat-health messages together with information on applicable rebates, subsidy programs and transportation support• Set up systems for people to self-register or be registered by family members to receive updates on response measures (e.g. new cooling facilities) and heat alerts by telephone, e-mail, facsimile or text message• Employ mechanisms to reach older adults who live outside institutional settings
Infants and young children
<ul style="list-style-type: none">• Incorporate heat-health messages into prenatal classes and publications that cater to the target audience (e.g. Young Parents)• Disseminate information through health care providers, schools and/or daycares (e.g. Expect the Unexpected Program developed by the Canadian Red Cross¹⁴³)• Provide additional resources in doctors' offices, pharmacies, clinics, hospitals, grocery stores, places of worship and libraries• Provide age-appropriate and interactive tools that parents can use to discuss heat-health risks with their children (e.g. colouring place mats, "Cool Kids" presentations delivered to daycares and nursery schools)• Educate caregivers (e.g. parents, daycare supervisors) on actions to take and ways to modify activities, prepare facilities, and recognize and respond to heat-health risks• Educate caregivers on risks of leaving children in vehicles and direct sun• Highlight the importance of appropriate hats and keeping hydrated• Use radio, television, newspapers and digital signage to disseminate heat-health messages
People with chronic illness or who are physically impaired
<ul style="list-style-type: none">• Educate individuals and health care providers about risk factors specific to chronic illnesses (e.g. failing cardiovascular or respiratory system,³⁷ psychiatric illnesses,¹⁰ renal illnesses,¹³¹ effects of medications such as antihypertensives,²⁵ antidepressants,²⁶ antipsychotics,^{26,27} anti-Parkinsonian²⁷ agents)• Disseminate heat-health information to long-term care facilities, health care providers and caregivers• Consider printing messages on pharmacy bag labels or inserts with selected medications• Raise awareness about the danger of leaving those in your care inside vehicles

Continue to next page

Socially disadvantaged individuals and communities (e.g. low income, homeless, living alone)

- Develop labels with plain language heat-health messages to be distributed with water, hats and other items
- Distribute heat-health messages together with information on applicable rebates, subsidy programs and transportation support
- Disseminate messages at shelters and through community outreach groups (e.g. Street Health Help, Canadian Mental Health Association, Salvation Army)
- Raise awareness of audience-appropriate places to cool off during extreme heat
- Provide guidelines on ways to stay cool if people do not have air conditioning
- Encourage increased monitoring of this vulnerable group during extreme heat

Newcomers to Canada and transient populations such as tourists

- Develop information in community-specific languages
- Develop heat-health communication materials with input from community leaders, while addressing different cultural needs (e.g. food consumption habits, clothing choices, pre-existing social and/or cultural beliefs)
- Use symbols that are appropriate cross-culturally
- Use plain language and disseminate messages through culturally appropriate channels, travel information websites and at outdoor community events
- Train people from each newcomer group and create volunteer heat crisis teams

Occupational groups

- Integrate heat-health considerations into health and safety regulations, codes and standards, and accompany with appropriate education materials
- Educate employees and employers on heat-health risks and appropriate actions to take (e.g. physical strain, work-rest cycle)
- Include information on heat stress in workplace wellness newsletter articles
- Provide information on acclimatization to heat and its benefits

Physically active persons

- Raise awareness about heat-health risks among coaches, athletic trainers, sports organizations, schools and daycares
- Integrate heat-health considerations into sports event rules and policies
- Develop targeted and tailored messages to deliver when audience attention is captured (e.g. City of Windsor Activity Guide)
- Highlight the benefits of physical activity when weather is favourable and offer weather-appropriate choices for people to keep active
- Motivate target audience with appropriate communication techniques
- Provide guidelines for outdoor recreation groups on how to minimize risks during heat alerts

Source: Targeted communication strategies are based on actions being taken by Canadian and international communities. ^{7,92,112,113,119-121,135,137,144,145}

3.6.1 Before the Heat Season

A communication plan should be developed to engage new partners and increase the awareness of stakeholders (e.g. care providers, health care workers, help phone line staff) and the media.⁷ Audience-appropriate information packages on HARS, heat-health risks and actions to take during alerts (e.g. fridge magnets, downloadable resources, websites, e-mail templates, presentations, train-the-trainer packages) should be developed or updated for the upcoming heat season. End-of-season evaluations of a HARS (Section 3.7), which may involve community meetings and workshops to address challenges, offer the opportunity to revise communication materials, and to continue increasing information and building awareness among stakeholders and the public. Attention should be given to “branding” communication products, using simple and easy-to-remember messages and website names, and ensuring that materials are tailored to specific audiences.

Common messages in most targeted heat-health communication materials relate to:

- methods to prepare for extreme heat
- community-appropriate options to minimize health risks
- signs and symptoms of heat-health impacts
- importance of staying cool and hydrated through community- and audience-specific services
- details on where to get additional information or help

For effective communication of alerts, choose a simple system such as:

- colours from the traffic light (green, yellow or amber, red) (Box 2)¹⁴⁶
- a level or stage system (e.g. Level 1, Level 2), along with wording that the population understands



For example, the City of Hamilton uses “heat advisory,” “heat warning” and “heat alert” to describe three stages of alert.¹¹³ Other Canadian communities use different wording, such as “extreme heat alert,” “humidex advisory,” or “heat emergency” (Appendix D).

Communication campaigns are more likely to change behaviours when health education about preventing and identifying heat risks is repeated in advance;⁶ therefore, before the start of a heat season it is essential to develop and deliver a pre-season awareness campaign (e.g. a Blitz Day). For example, Toronto Public Health provides information to the public and to community organizations that play a role in assisting the most vulnerable.⁹² HARS communication campaigns should:

- highlight the objectives of the HARS
- provide information on recent improvements or modifications to the system
- emphasize available resources for the public and stakeholders
- engage the media in preparing for the upcoming heat season
- expand community partnerships
- spike interest in heat-health issues

Before the heat season, it is important to identify partnerships to optimize resource use and effective delivery of heat-health communication products. For example, the City of Windsor partnered with the Windsor Utilities Commission (WUC) to reach residents at higher risk of heat illness and death with educational materials. As part of these efforts, Street Health Help and local food banks distribute reusable water bottles printed with information on WUC services and heat-health messages to residents of Windsor experiencing socio-economic challenges.¹¹⁹

3.6.2 During the Heat Season

The heat season is the time to build on the momentum in education and outreach activities gained through the pre-season awareness campaign. A summer with hotter-than-average temperatures will often result in greater interest and receptivity of the public and stakeholders to heat-health messages.

Active communication about HARS with partners through bulletins, e-mail updates, media interviews, community meetings and website postings should continue. Awareness can be raised by providing reminders and regular updates about the impacts that heat has on health. In addition, activities should focus on educating the public and stakeholders about audience-specific needs, as well as effective practices to prepare for extreme heat events and minimize risks to health. It is important to ensure that social service and health care providers are well informed and supportive of the HARS. People who are counselled by a trusted health care professional about risks to health from extreme heat events will be more likely to recognize their personal vulnerability and to adopt protective actions.⁷⁸

Providing information on available response measures and incentives, such as locations of water fountains and cooling options (e.g. tree-shaded

areas, swimming pools, splash pads, cooling facilities), rebates on air conditioners, subsidies for utility bills and transportation options is also important. Measures to help reduce barriers to action need to be publicized and details provided on where more information can be obtained (e.g. websites, 211, 311, 811 phone numbers). This will prepare the public by reinforcing key messages about actions that should be taken to get ready for extreme heat events. For example:

- advise people to ensure that air conditioners are working properly
- promote healthy living and good hydration practices and offer suggestions on how people should make them a routine
- raise awareness that special precautions (stay cool, hydrated and check on most vulnerable) should be taken during extreme heat events, especially if it is the first event of the season, which can have the most impact on human health³⁴
- promote the use of long-term residential adaptation strategies, such as:
 - › planting deciduous trees in front of south- and west-facing windows to block the sun
 - › choosing light-coloured paint for the outside of the house
 - › improving ventilation options (e.g. installing windows that open and safety bars if safety is an issue)
 - › improving insulation

Communication tools and aids to increase the understanding and retention of different alert stages (Box 2) should be provided to the public. Develop tools that can be used as reminders (e.g. refrigerator magnets, websites, tailored fact sheets, posters, presentation decks) and align heat-health communication strategies with existing community practices.


Figure 11: Communication tools developed by the City of Hamilton, Ontario, and Moreland City Council, Australia

A. “Cool Down Here” sign used to indicate cooling centres.



Source: City of Hamilton, Ont., 2009.¹¹³

B. A cell from a storyboard, “Keeping your cool in a heatwave,” to communicate heat-health messages.



Source: Moreland City Council, Australia, 2010.¹⁴⁷

When a decision is made to issue an alert, stakeholders (especially service providers that cater to heat-vulnerable populations) and the public should be notified using a pre-identified communication plan (e.g. press releases, electronic and print media, service providers [e.g. agencies for seniors], as well as health networks). Direct and timely communication activities will ensure that response measures (e.g. water distribution, opening of cooling facilities) are properly delivered. Updating websites and issuing media releases with information on heat-health risks, preventative actions and available community response measures (e.g. cooling facilities [Box 4], financial assistance with utility bills, free access to public swimming pools) will provide the public with easily accessible information through the alert notification. Communication materials should have clear information about specific actions to take to reduce heat-health risks. During an extreme heat event, it is also important to notify neighbouring communities of the alert to increase coordination between the jurisdictions.

3.6.3 During an Extreme Heat Event

The most important objective of communication activities during an extreme heat event is to influence individuals—particularly vulnerable populations—to take protective measures. To remind people about the different alert stages, the use of simple wording understood by the local population is important. Include a visual heat scale that provides more than one call to action to increase understanding of the system (Box 2).

Box 4: Communication strategies for the successful use of cooling facilities

- Highlight the existence of cooling facilities well before an extreme heat event occurs^{98,148}
- Provide a clear description of the cooling facilities (i.e. who they are for, what type of services visitors are likely to receive, whether pets are welcome)
- Identify credible messengers for each target group to deliver information¹⁴⁹
- Use multiple communication channels to reach those who should be using the cooling facilities
- Educate the public about heat-health risks and the importance of cooling during an extreme heat event
- Reach “shut-ins” (e.g. those with limited social interaction) and those with a false sense of safety, which could prevent them from taking protective actions¹⁵⁰
- Educate the public on the signs used to identify cooling facilities (e.g. “Cool Down Here” sign developed by the City of Hamilton, Figure 11, A)¹¹³ and on their locations
- Encourage friends, neighbours, relatives and volunteers (“buddies”) to actively seek out people in need of cooling and to help them stay healthy in the heat^{78,140}
- Encourage the public to welcome family and neighbours when they need a place to cool off¹⁴⁰

Public awareness can be increased with pre-selected messages from heat-health education campaigns delivered using several communication channels (e.g. media, road/construction signs, faith-based organizations, health care professionals). This campaign should reinforce key messages to stay cool, hydrated and check on the most vulnerable. Pre-selected messages for heat-health communication include¹³²:

- “Heat illnesses are preventable.”
- “Take a break from the heat by spending a few hours in a cool place. It could be a tree-shaded area, swimming facility or an air-conditioned spot such as a public building, shopping mall, grocery store, place of worship or public library.”
- “Reschedule or plan outdoor activities during cooler parts of the day.”
- “Drink plenty of cool liquids, especially water, before you feel thirsty to decrease your risk of dehydration. Thirst is not a good indicator of dehydration.”
- “Frequently visit neighbours, friends and older family members, especially those who are chronically ill, to make sure that they are cool and hydrated.”

When it is determined that weather conditions are no longer a health risk, deactivation of the alert should be communicated to the public and stakeholders. At this stage, additional messages may be required to raise awareness about indirect health hazards. For example, messages about the dangers of food spoilage may be needed, especially if the extreme heat event occurred at the same time as a power outage.



Case Study 5

How Windsor-Essex Communicates Heat-Health Risks to the Public



As part of HARS development, Windsor-Essex, Ontario, emphasized development and implementation of its communication campaign. Early in the process, marketing experts were consulted to examine heat-health communication activities in the city and in other communities with existing HARS. This information gathered helped identify heat-health communication goals and outreach strategies. It was also used to develop a STAY COOL Windsor-Essex logo that brands the city's communication activities. Additional tools being used to raise awareness are shown in Figure 12.

Figure 12: Branding of the HARS



Source: City of Windsor, Ont., 2010.

Through extensive consultations with stakeholders, including officials from the City of Detroit, and a review of best communication practices, the City of Windsor developed a number of outreach strategies to support three priority communication goals:

Goal 1: Inform residents and visitors of the effects of extreme heat and the actions required to reduce the risks.

Outreach strategies

- ▶ Inform media of heat alerts and provide information products
- ▶ Establish a hub for communicating and sharing information on heat-alert activities with stakeholders in addition to the website and 211 services
- ▶ Complete an audit of existing heat alert communication practices to determine lessons learned
- ▶ Use an e-mail blast that will notify anyone who signed up that a heat alert has been issued with an embedded website link for more information

Continue to next page

Case Study 5

How Windsor-Essex Communicates Heat-Health Risks to the Public

Goal 2: Educate residents and visitors about extreme heat events and the measures being taken to protect them from health risks.

Outreach strategies

- ▶ Launch an education campaign
- ▶ Inform city residents and visitors about who will issue heat alerts and where to find out if a heat alert has been called
- ▶ Extend the reach of communication materials through the development of strategic partnerships
- ▶ Develop a media plan that considers mass media and includes targeted communication activities

Goal 3: Educate emergency responders and service providers about key indicators of an extreme heat event and the necessary policies and procedures for responding to or identifying health effects.

Outreach strategies

- ▶ Host train-the-trainer events to educate community partners on available educational tools and key messages
- ▶ Gain support for expanded participation by community partners during heat alerts (e.g. open cooling facilities, check on heat-vulnerable populations)

In early communication efforts during development of its HARS, Windsor implemented a targeted approach to reach the public and engage stakeholders. For example, it published two advertisements in the *Summer Activity Guide* that included heat-health information tailored to the general public and to those caring for infants and young children. Print advertisements were also placed in the summer editions of *Windsor Parent Magazine* and *Retirement Living*, which are free to the public. In 2011, the Windsor Essex County Health Unit drafted articles on heat and heat-illnesses that local papers and magazines included in their publications. Other outreach strategies completed in 2011 included pharmacy labels to reach people taking medications that could put them at risk, business cards with heat-health information for the physically active, colouring place mats for young children and fridge magnets for older adults. Partnerships developed through HARS will help to increase the effectiveness of messages delivered to the public.

For more information on the Windsor HARS, visit www.staycoolwindsor-essex.com.

3.7 Improving Heat Alert and Response Systems Through Evaluation

Create an evaluation plan during HARS development to integrate opportunities for data gathering in the implementation phase and ensure continuous measurement for longer-term program improvement.

– R.S. Kovats and L.E. Kristie, 2006⁹⁷

Performance measurement and evaluation can provide information about whether specific HARS elements are successful, and identify system strengths, weaknesses and opportunities for improvement.^{7,97} Evaluation has traditionally been used as a way to refine and improve program delivery, and allow for adjustments to respond to the evolving needs and priorities of a community.^{151–154} Few formal evaluations of HARS have been conducted and limited published information exists on methods for conducting such analysis.^{7,29,97,134,142} However, guidance and conceptual frameworks that have been developed for public health program evaluation provide tools that can be used to investigate HARS performance.⁹ Consultations with Health Canada’s four pilot communities also informed the development of recommendations in this section. The sample partner survey provided in Appendix A was used by the pilot communities in their end-of-season HARS evaluations.

3.7.1 Evaluation Design

Depending on the focus of the evaluation, two main categories of investigation should be considered^{152,155}:

Process evaluation—Determines if the HARS has been carried out as planned and whether each component of the system has been operating effectively.

Outcome evaluation—Focusses on the impact of the program based upon the goals and objectives of the HARS.

An evaluation should be focussed on issues of greatest concern to partners and stakeholders, while being as simple and cost-effective as possible.^{155,156} Informal feedback from stakeholders and target audiences, as well as observations about HARS performance from lead agencies, may be used for the evaluation; however, this type of data is often incomplete and may be biased. Formal evaluations are most credible and useful when information is gathered using a mix of qualitative (e.g. focus groups, in-depth interviews, open-ended survey questions) and quantitative methods (e.g. surveys, process tracking forms and records, large data sets). The most appropriate indicators and methodologies for data collection can be identified when the evaluation design addresses the following:


- evaluation goals
- data availability
- types of tools and measures needed for data collection
- frequency of data collection and optimal time frame to collect the data
- organizations responsible for data collection and analysis

⁹ In addition to the guidance in this section, Health Canada developed *Communicating the Health Risks of Extreme Heat Events: Toolkit for Public Health and Emergency Management Officials*, which provides detailed information on evaluating heat-health communication campaigns.¹³²

A collaborative approach to the evaluation process, including identifying the core objectives, is essential.^{97,157} Using this approach, partners and stakeholders contribute to the evaluation through their knowledge of individual- and community-level vulnerabilities, target audiences for outreach activities, and existing information gaps.^{152,155} Figure 13 provides a

HARS schematic that can be used when designing an evaluation. It shows the links between core elements of a HARS and its ultimate goal.^{97,157} The schematic can guide the evaluation process by highlighting how the HARS operates and by identifying program leads with their roles and responsibilities.

Figure 13: Schematic demonstrating links between core elements of HARS and ultimate goal



3.7.2 Process Evaluation

A HARS process evaluation should focus on gathering data during implementation to assess program-specific issues of relevance and performance as well as design and delivery. The evaluation should address pre-identified questions using a set of indicators (Table 5).

To acquire information for process evaluation, include data sources such as:

- financial reporting information
- post-extreme heat event and end-of-season debriefs
- interviews
- meteorological data
- meeting summaries
- website usage statistics and other inquiries received
- table-top exercises (Box 6)¹⁵⁹

Box 6: Understanding community resilience to extreme heat through table-top exercises

An extreme heat event table-top exercise is an opportunity to simulate an emergency situation in an informal, stress-free environment. It provides a community with valuable insights regarding how to strengthen its HARS.

Fredericton, Windsor, Winnipeg and the Assiniboine Regional Health Authority undertook extreme heat event table-top exercises in 2010 to identify and address gaps in the development of their respective HARS plans. Participants in the exercises included health and social service providers, first responders, emergency response personnel and other governmental and non-governmental organizations with a role in planning for and responding to extreme heat events. The focus of the exercises was on training and familiarization with roles, procedures and responsibilities, and the discussion of general problems and lessons learned in the context of an extreme heat emergency scenario. The results of these exercises are being used to inform implementation of new HARS in these communities.

3.7.3 Outcome Evaluation

An outcome evaluation is most appropriate for a well-developed HARS that has made progress toward intermediate objectives and ultimate goals. This type of evaluation should focus on program effectiveness by measuring changes in heat-related morbidity and mortality and the impact of public health interventions on awareness, knowledge, understanding and behavioural change. Outcome evaluations may need more resources because they require several years of observation, the establishment of baseline data, access to hospitalization and annual mortality data, and the expertise of an epidemiologist to conduct the analysis. Due to the complexity of measuring public health outcomes and program attribution, the methodology is less developed.⁷ Potential indicators may include:

- number of daily heat-related deaths relative to historical baseline
- number of daily emergency calls during extreme heat events
- number of daily emergency room visits and hospitalizations during extreme heat events
- changes in health protective behaviours of at-risk populations^f
- changes in public awareness, knowledge and beliefs
- changes in service utilization

^f See Appendix A for a Sample Target Population Questionnaire.

Table 5: Examples of indicators for process evaluation of a HARS

	Evaluation question	Potential indicators
Operational Costs	What resources are used to operate the HARS?	<ul style="list-style-type: none"> Resources used by each partner Resources required for collecting and monitoring surveillance data Staff time spent on the program at various stages Costs to communicate messages to stakeholders and the public Costs of maintaining the system
Alert Protocol	Were the alerts issued efficiently?	<ul style="list-style-type: none"> Frequency of partner notification and public alerts Timeliness of alert information received Timeliness and efficiency of message delivery to the public
	Are extreme heat events forecasted and monitored accurately?	<ul style="list-style-type: none"> Quality of surveillance data Frequency of warnings and alerts issued in relation to actual weather conditions occurring Capacity of participating agencies to monitor and deliver surveillance and weather data
Response Plan	How involved were stakeholders with implementing response measures?	<ul style="list-style-type: none"> Level of participation of agencies and other community groups in education activities, issuing warnings and responding to an alert Number and types of response measures delivered by stakeholders
	Did stakeholders follow the response plan and find it helpful?	<ul style="list-style-type: none"> Number and diversity of engaged stakeholders and meeting frequency Perceived importance of the heat response among stakeholders Partners' views on the degree of coordination of activities Stakeholders' views on the adequacy of support offered Level of stakeholder satisfaction
	Are response measures being used by the public (e.g. cooling facilities)?	<ul style="list-style-type: none"> Number of at-risk people who took preventive actions Number of people, their demographic makeup, and length of visits to cooling facilities Number of people and their demographic makeup who took advantage of other response measures (e.g. "Heatline," 211, 311, 811 telephone lines; rebates; heat registration)
Communication Plan	Were key messages and services provided to the public?	<ul style="list-style-type: none"> Number of planned communication elements delivered Vulnerable and general populations reached by each communication element Number and types of inquiries received Number and types of resources distributed Promotion and publicity received through media activities
	Was the target population aware of HARS and its key messages?	<ul style="list-style-type: none"> Number of media and information sources engaged as part of the outreach campaign Penetration of key messages into the media Accessibility of information to the public
	Did the target population understand and follow key messages?	<ul style="list-style-type: none"> Number of at-risk people who perceive extreme heat to be a health risk Number of at-risk people who can identify preventive measures Capacity of targeted population to recall accurate messaging

Source: Developed based on Canadian and international resources. ^{7,9,97,153,158,159}

A detailed analysis of heat-health outcomes based on only a few years of implementation of a HARS will likely convey a limited understanding of program impact and effectiveness. A comparison between two extreme heat events, each with unique characteristics, is not sufficient to evaluate the effectiveness of a HARS.¹²³ However, evaluations of data based on only a few years of implementation of a HARS will help contribute to baseline data and may indicate early trends.

Currently, the health impacts of extreme heat events in Canada are not well documented for most communities and regions. In efforts to address this, the Canadian Disaster Database, provided by Public Safety Canada, compiles information on over 900 major natural, technological and conflict events that have directly affected Canadians in the past century, including extreme heat events.⁵ Better monitoring of the health impacts of extreme heat will help to identify where effective measures should be implemented to reduce future morbidity and mortality.

3.7.4 Evaluation Results

It is critical that the conclusions and recommendations from an evaluation are shared with key partners and stakeholders in a timely manner to help inform decision-making and identify opportunities for improving performance.¹⁵⁹ Updates to HARS should be clearly communicated to partners every time a change is implemented.¹¹¹ In disseminating evaluation results and lessons learned, it is important to understand the audience and translate findings into clear and concise actionable tasks. The partnerships formed under a HARS are generally voluntary, and a well-designed evaluation will add credibility and strengthen relationships with partners.



⁵ To develop a better understanding of the impact extreme heat events have on Canadians, public health and emergency management officials are encouraged to submit morbidity and mortality information to the database by contacting the Canadian Disaster Database secretariat at CDD-BDC@ps-sp.gc.ca.

Case Study 6

Evaluation of the Montréal Heat Plan Communication Program^t


The City of Montréal has had a HARS in place for over 10 years. In 2007, Montréal Public Health conducted an evaluation of its Heat Plan Communication Program with a focus on three main areas:

1. Message dissemination was evaluated by visiting distribution locations of promotional material and by conducting media monitoring. The evaluation assessed:
 - ▶ effectiveness of communication vehicles by reviewing the availability of promotional material (i.e. cards, posters) at the distribution locations
 - ▶ electronic and print media for coordination of coverage with Environment Canada heat warnings and inclusion of prevention messages
2. Exposure of audiences to prevention messages and their impact on knowledge and protective behaviours during extreme heat events was evaluated by a telephone survey of people 65 or older to examine:
 - ▶ exposure to prevention messages
 - ▶ correlation between exposure, knowledge and protective behaviours
3. Comprehension, acceptability and feasibility of the recommended heat-health prevention messages among older adults at high risk was evaluated through focus groups with people 65 or older (all but one living in non-air conditioned homes). The focus groups examined:
 - ▶ physical discomfort levels as an indication of heat stress, willingness to ask for help, resources to adequately deal with extreme heat events
 - ▶ choices of adaptive responses during extreme heat events
 - ▶ evaluation of promotional material and heat-health messages

The result of this evaluation led to modification of Montreal's HARS communication tools (e.g. promotional material largely distributed to older adults). Certain messages were not retained in the new material. For example, the message to avoid alcohol, caffeine and soft drinks is no longer included because the participants in the focus groups did not view it as acceptable, and scientific support for this message is not solid. Participants did not view checking the temperature in their homes as being realistic and therefore this message was also removed. The message to wear light clothing and a hat was followed by the vast majority of seniors, regardless of their exposure to preventative messages; thus, it was not deemed to be useful.

The revisions to the outreach materials allowed for greater focus on three main messages: Seek out air-conditioned spaces, Drink a lot of water and Reduce physical activity. Finally, two other messages were maintained in the promotional material—"Let someone know how you are on a regular basis" and "Take cool showers or baths as often as needed or cool off using a damp facecloth." This latter recommendation was judged most useful by people without air conditioning and who have mobility challenges.

For more information on the Montréal HARS, visit [www.dsp.santemontreal.qc.ca/index.php?id=523&tx_wfqbe_pi1\[uid\]=1023](http://www.dsp.santemontreal.qc.ca/index.php?id=523&tx_wfqbe_pi1[uid]=1023).



Source: Direction de santé publique, Agence de la santé et des services sociaux de Montréal, Que.

^t Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal, Que., 2009.¹⁸²

3.8 Preventative Action: Reducing Urban Heat

“In the long term, improved urban planning, building design, energy and transport policies will ultimately reduce heat exposure.”

– World Health Organization—Europe, 2009, p. ix⁷

Health impacts from heat are not limited to extreme heat events that trigger an alert. Prolonged hot temperatures that do not trigger an alert can still result in mortality.¹¹⁵ To combat this threat, a preventative approach is required that supports broader community health benefits, reduces vulnerability, and minimizes the overall burden of summertime and extreme heat events.^{41,115,160}

This long-term planning should include climate change mitigation measures, actions to reduce heat exposure by minimizing the urban heat island, and plans to strengthen the resiliency of communities to the impacts of climate change.¹⁶⁰ These can be accomplished by reducing greenhouse gas emissions, lowering community surface and air temperatures by planting trees for shade, and using building and infrastructure materials that store less heat and increase surface reflectivity.

3.8.1 The Urban Heat Island


An urban heat island is a built-up area that experiences higher temperatures than nearby rural areas. Urban centres and industrial areas tend to be built from darker, non-reflective and waterproof materials that absorb solar radiation

and slowly release it as heat, resulting in average air temperatures approximately 3°C/5°F higher than those in surrounding areas (Figure 14). The impact of urban heat islands is strongest on hot, clear and calm days when the intensity of daytime heat can increase the surface temperature of the built environment.¹⁶¹ The effect is most pronounced at night where temperatures have been recorded as much as 12°C/22°F higher than in nearby rural areas. This effect prevents nighttime relief from heat and contributes to additional morbidity and mortality.^{53,74,161}

The urban heat island is often not uniform across a city. Micro-urban heat islands can put some residents at higher risk during extreme heat.^{47,56,161} Several factors contribute to the formation of an urban heat island and microclimates, including:

- a decrease in natural land cover (e.g. soil, rock, water, vegetation) that absorbs solar energy and releases it as water vapour through a cooling process called evapotranspiration¹⁶² (e.g. in New York City, the lack of urban vegetation, particularly mature trees, is a key contributor to the urban heat island¹⁶³)
- an increase in impervious, exposed and dry surfaces (e.g. roadways, sidewalks, buildings, infrastructure) that reduce water infiltration into the earth and absorb heat¹⁶¹
- the physical components of the urban form (e.g. street orientation and width, building height and density, construction materials) that can trap reflected radiation, interfere with natural air movement and slow down the rate at which cities cool^{53,57}
- human activities such as driving, the production of waste heat from building ventilation and industrial processes^{86,161,162}

Figure 14: Variations between ambient temperatures in urban and rural areas



Source: United States Environmental Protection Agency, 2009.¹⁶¹

3.8.2 Reducing the Urban Heat Island

Although the urban heat island is a well-documented phenomenon, many Canadian municipalities do not incorporate measures to reduce it into their urban and land-use planning.^{86,162} Most Canadian urban centres also face pressures from increased densification, urban sprawl, decaying infrastructure^{164,165} and the needs of an aging population. If left unaddressed, urban centres will be faced with compounding risks from climate change,^{166,167} including heat-health risks from an

increase in frequency, length and severity of extreme heat events and secondary heat exposure resulting from the urban heat island.^{40,57,167-169} A number of measures have been identified to build cooler and more heat resilient communities that can be implemented by building owners, urban planners and/or the entire community (Table 6).

Table 6: Examples of urban heat island reduction measures

Reduction measure	Description and co-benefits	Implementation strategies
High albedo ^u and emissivity ^v materials	<ul style="list-style-type: none"> Increases the amount of solar radiation that is reflected and efficiently emitted “Cool” materials for roofs and pavements store less heat and can lower surface temperatures Modified materials have higher reflectivity or lighter-coloured resins and are porous 	<ul style="list-style-type: none"> Introduce bylaws or incentives for voluntary action Implement public and private building standards, such as the Leadership in Energy and Environmental Design (LEED) building rating system Implement changes to provincial building and energy codes
Green infrastructure	<ul style="list-style-type: none"> Vegetated permeable materials for pavements and bio-swales can improve storm-water management Green roofs can reduce surface temperatures and help buildings stay cooler 	<ul style="list-style-type: none"> Update storm-water management bylaws and design guidelines Support demonstration projects
Mixed land-use to increase urban vegetation	<ul style="list-style-type: none"> Vegetation can reduce surface and air temperatures by providing dwelling shade and dissipating heat through evaporative process Tree shading can provide the greatest urban temperature reduction, based on per unit area Shaded areas in the park can be as much as 5°C/9°F cooler than surrounding areas¹⁷⁰ Increased biodiversity, quality of life and urban aesthetic value 	<ul style="list-style-type: none"> Develop bylaws to increase the number and health of trees, and areas covered by vegetation, urban forest or parkland Develop recreation master plans Introduce landscaping requirements and guidelines

Continue to next page

^u Albedo is a measure of the reflectivity power of a surface.

^v The emissivity of a material refers to its ability to release absorbed heat. A surface that has the capacity to remain cooler when exposed to solar energy is considered to have a high emissivity.

Reduction measure	Description and co-benefits	Implementation strategies
Urban geometry	<ul style="list-style-type: none"> • Dimensions and spacing of dwellings can influence how heat is absorbed and retained • Changes in the urban form (e.g. building layout and street orientation) can take advantage of prevailing winds to dissipate heat 	<ul style="list-style-type: none"> • Increase ventilation corridors • Decrease building density and diversify neighbourhoods • Assess master and community plans or zoning bylaws
Reduce human-made (i.e. anthropogenic) heat sources	<ul style="list-style-type: none"> • Anthropogenic heat sources (e.g. vehicle use, industrial processes) contribute to urban heat gain • Energy efficiency or conservation strategies and changes in transportation modes can reduce human-made heat production 	<ul style="list-style-type: none"> • Deliver outreach and education campaigns to increase active commute behaviours and adoption of energy-wise air-conditioning use • Enforce anti-idling bylaws • Offer accessible and safe public and pedestrian-friendly transportation • Provide subsidies to encourage alternative energy generation • Support corporate- and community-based energy efficiency • Develop greenhouse gas reduction plans and activities

Source: *Examples of urban heat island reduction measures are based on actions by Canadian and international communities.*^{15,57,86,161-163,168,171}

3.8.3 Co-benefits for Communities

The health, safety and well-being of people are linked to the quality of liveable environments, based upon their natural, built, social and cultural features.^{74,172–174} Urban heat island mitigation is not a stand-alone issue. Changes in urban and land-use planning policies to reduce urban heat islands complement efforts to improve air quality and promote healthier communities.^{168,175} Urban heat island mitigation measures could support other environmental and health benefits. Examples include:

Improved building design can reduce the need for air conditioning and may also improve indoor air quality and lower greenhouse gas emissions.^{57,168}


Increased green space and urban parkland can provide shade, dissipate heat and improve storm-water management and the quality of life for urban residents. Space for recreational walking or cycling can lead to positive impacts on cardiovascular disease and lowering the risk of diabetes by reducing obesity.^{57,70,172,176}

Increased accessibility to public transportation and pedestrian-friendly transit can reduce personal vehicle use and can provide options for some people who are heat-vulnerable (e.g. older adults, people with mobility challenges) to access cool places and maintain independence. This will also help reduce greenhouse gas emissions, increase physical activity, improve air quality and facilitate community engagement.¹⁵

All levels of government have a role to play in implementing effective urban heat island mitigation measures. Municipalities have the greatest opportunity to adapt infrastructure to climate change, given their jurisdictional responsibility: over approximately two-thirds of all roads in Canada, waste disposal, sewage systems, land and building taxation and the regulation of land use.¹⁶⁶ Provinces also play an important role

as many define the scope of and provide direction to planning authorities at municipal levels (e.g. Ontario Growth Plan for the Greater Golden Horseshoe area).⁸⁶ The federal government supports municipal initiatives to improve air, water and soil quality, and promotes the use of renewable energy and sustainable transportation services through programs such as the Green Municipal Fund. Government programs provide an opportunity to influence urban planning and design through capital spending (e.g. infrastructure, transit) and planning powers (e.g. bylaws, regulations).

Broad collaboration among officials and experts is required to successfully integrate urban heat island mitigation considerations into city planning decisions. Public health officials can promote a preventative approach to address heat-health risks by engaging with land-use and building planners; local and regional officials involved in transportation, parks, forestry; and public works sectors.



Appendices

Appendix A—Questionnaires

Sample Partner Questionnaire for Assessing Heat-Health Vulnerability

A facilitated session can be organized to gather information for a vulnerability assessment. This questionnaire is designed to help better understand partners' knowledge of heat-health risks and heat-vulnerable groups, existing services to minimize heat-health risks, and their vision for the future.

Engaging Stakeholders and Partners

1. Who needs to be involved in an assessment of vulnerability to the health impacts of extreme heat events in your community?

Understanding Vulnerability

2. Which of the following groups does your organization provide services to? *(check all that apply)*

- Older adults
- Infants and/or young children
- Individuals with chronic illnesses (e.g. diabetes, heart or respiratory conditions)
- Individuals unable to move or change positions by themselves
- Individuals taking certain medications (such as for mental health)
- Individuals who are socio-economically disadvantaged (such as homeless people)
- Newcomers to Canada / the community
- General public
- Other *(please specify)*

3. Do you currently provide information about the health effects of extreme heat to your clients? *(check only one)*

- Yes
- No

4. Who is vulnerable to extreme heat events in your community?

5. Does your organization know where individuals who have an increased risk of health complications from heat are located in your community? *(check only one)*

Yes

No

6. What characteristics make your community vulnerable or resilient to extreme heat events? *(please explain)*

7. What government or non-government programs or activities are in place in your community to manage existing heat-health risks? How effective are they? Who is the lead for the respective program?

8. Currently, what limitations and capacity issues are there for reducing heat-health risks?

Gauging the Ability to Plan and Respond to Extreme Heat Events

9. Describe how health risks from extreme heat may change in the future.

10. What options exist to reduce current and future heat-related risks to health?

11. What challenges exist for future efforts to reduce heat-health risks?

Sample Target Population Questionnaire

The sample target population questionnaire is designed to help better understand public awareness of heat warnings and perception of heat-health risks.

1. Over the past several summers, were you aware of extreme heat warnings?

- Yes
- No (if no, proceed to 8)

2. How did you hear about the warning? (select all that apply)

- Radio
- Television
- Newspaper
- Friend/Relative
- Social services person
- Internet
- Other _____

3. What recommendations were made to help people deal with the heat? (select all the apply)

- Avoid outdoors/sun
- Drink more liquids
- Find an air-conditioned location
- Use air conditioning at home
- Dress appropriately
- Check on neighbours / those at risk
- I didn't listen / don't remember
- Other _____

4. Did you do anything different on the days with extreme heat warning?

- Yes (if yes, proceed to 5a and omit 5b)
- No (if no, proceed to 5b)

5a. What did you do? (select all that apply)

- Avoided outdoors/sun
- Drank more liquids
- Found an air-conditioned location
- Used air conditioning at home
- Dressed appropriately
- Checked on neighbours / those at risk
- Other _____

5b. Why not? (select all that apply)

- Heat is not dangerous to me
- Too much of an inconvenience
- I wasn't concerned / There is always a warning about heat
- I didn't understand what to do / I was confused by the messaging
- Other _____

6. How seriously do you take warning about extreme heat?

- Very seriously
- Somewhat seriously
- Not seriously at all

7. Do you think there is a proper number of warnings and alerts for extreme heat each summer?

- There are too many
- There are too few
- There are the right amount

8. What do you use to cool your home? *(select all that apply)*

- Central air conditioning
- Fan
- Window air-conditioning unit
- Nothing

9. If you do not use air conditioning, was it due to financial considerations?

- Yes
- No
- Don't remember

10. How do you usually get your local news? *(select all that apply)*

- Radio
- Internet
- Television
- Other _____
- Newspaper
- N/A

11. Are you male or female?

- Male
- Female

12. What is your racial or ethnic background? *(modify to reflect your community demographics)*

- _____
- _____
- _____
- _____

13. What is your age?

- under 18
- 18–29
- 30–41
- 42–53
- 54–65
- Over 65

14. What is your approximate annual income?

- Under \$20,000
- \$20,000–\$40,000
- \$40,000–\$60,000
- \$60,000–\$80,000
- \$80,000–\$100,000
- Over \$100,000

Source: Adapted from Sheridan, 2007¹⁴² and Kalkstein. Re-printed with permission of Springer Science+Business Media.

Sample Partner Survey: End-of-Season Heat Alert and Response System Evaluation

The sample partner survey can be used to evaluate HARS and better understand the relationships developed under HARS, partner satisfaction and recommended improvements.

Partnerships

1. To what extent do you agree or disagree that:

a. Your organization established new relationships with partners to address extreme heat events.

Strongly disagree Disagree Undecided Agree Strongly agree

b. Your organization strengthened relationships with partners to address extreme heat events.

Strongly disagree Disagree Undecided Agree Strongly agree

c. Your HARS partnerships are effective.

Strongly disagree Disagree Undecided Agree Strongly agree

d. Your HARS partnerships will last.

Strongly disagree Disagree Undecided Agree Strongly agree

2. How could your partnerships be improved?

Resources

3. To what extent do you agree or disagree that your HARS has all the needed resources.

Strongly disagree Disagree Undecided Agree Strongly agree

a. If you disagree, what additional resources are needed?

Benefits

4. To what extent do you agree or disagree that because of HARS:

a. You are now better informed about the effects of extreme heat on health.

Strongly disagree Disagree Undecided Agree Strongly agree

b. You are better informed about what makes people vulnerable to extreme heat.

Strongly disagree Disagree Undecided Agree Strongly agree

c. Your organization benefited.

Strongly disagree Disagree Undecided Agree Strongly agree

d. Your organization helped prevent heat illnesses.

Strongly disagree Disagree Undecided Agree Strongly agree

Outreach

5. To what extent do you agree or disagree that the communication developed through HARS were effective in reaching your audience.

Strongly disagree Disagree Undecided Agree Strongly agree

a. What aspects of the communication were **most** effective?

b. What aspects of the communication were **least** effective? How could they be improved?

6. What actions did your organization undertake to help prevent heat illnesses?

Efficiency

7. To what extent do you agree or disagree that:

a. HARS was implemented as planned.

Strongly disagree

Disagree

Undecided

Agree

Strongly agree

If you disagree, what were the differences, why did they happen, and what was learned from them?

b. HARS was effective.

Strongly disagree

Disagree

Undecided

Agree

Strongly agree

If you disagree, how could HARS efficiency be improved?

Source: Adapted from a survey developed by Canadian Public Health Association for Health Canada, 2010.

Appendix B—Integration of Extreme Heat into the Assiniboine Regional Health Authority Disaster and Emergency Response Plan

Regional Action Plan—Severe Heat Emergency

Heat Alert—Regional response will be activated with the notification of a heat alert issued by Manitoba Health to the Assiniboine Regional Health Authority. The Heat Alert plan is designed to limit the effects of heat within the region.

Three-level system:

Heat Alert 1:

- Provide notice to all programs and services that a heat alert has been issued.
- Initiate daily Heat Alert Status Reports to report heat-related illness to Manitoba Health as required.
- Respond to media requests for information, sharing information from the Heat-Health Fact Sheet.

Heat Alert 2:

- Actions under Heat Alert 1.
- Consider activation of Corporate Incident Command Structure based on expected event duration.
- Ensure that community-based clients receive Heat-Health Fact Sheet.
- Post Heat-Health Fact Sheet to regional websites.
- Recommend to staff, clients and the public that they take precautions to reduce the impacts of the heat. Distribution of the Regional Newsletter.
- Ensure facilities are monitoring indoor temperatures.
- Provide for cooling areas or adequate rest periods for staff/clients.
- Consider use of the Alternate Meal Plan based on site-specific needs.
- Recommend limiting use of non-essential appliances that generate heat while promoting proper use of air conditioners and fans.

Heat Alert 3:

- Actions under Heat Alert 1 and 2.
- Implement Alternate Meal Plan based on site-specific needs.
- Consider staff scheduling to accommodate the use of needed laundry/kitchen services to cooler nighttime hours to help maintain internal temperatures.
- Work within programs and services to promote and distribute heat fact sheets to community settings or events.
- Report heat-related concerns to Manitoba Health (increases in related illness, inability to maintain services or programs due to staffing or infrastructure).

Post-Event:

- Coordinate a post-event debriefing as required.
- Notify all programs and services when the heat event has ended.
- Maintain monitoring for a post-event period as heat-related illness may still be present though temperatures have begun to cool.

Source: Reprinted from *Assiniboine Regional Health Authority Disaster and Emergency Response Plan: Severe Heat Emergency*, 2011.

Appendix C—Information Resources for Developing a Heat Alert and Response System Plan

There are a number of additional resources available to inform the planning process. This information can help address knowledge gaps, provide answers to common questions, and educate stakeholders on the need for and benefits of a HARS.

Government of Canada

Health Canada

- ▶ Extreme Heat and Health Resources
www.healthcanada.gc.ca/cc
 - › *Communicating the Health Risks of Extreme Heat Events: Toolkit for Public Health and Emergency Management Officials*
 - › *Audience Specific Public Heat-Health Brochures*
 - › *Extreme Heat Events Guidelines: Technical Guide for Health Care Workers*
 - › *Extreme Heat Events Guidelines: User Guide for Health Care Workers and Health Administrators*
 - › *Adapting to Extreme Heat Events: Guidelines for Assessing Health Vulnerability*

Environment Canada

- ▶ National Climate Data and Information Archive (official climate and weather observation for Canada)
www.climate.weatheroffice.ec.gc.ca/Welcome_e.html
- ▶ Air Quality Health Index^w (information tool to protect health)
www.airhealth.ca

Natural Resources Canada

- ▶ Canadian Centre for Remote Sensing (space-based science and satellite data)
http://ccrs.nrcan.gc.ca/index_e.php
- ▶ *The Atlas of Canada* (online climate information)
<http://atlas.nrcan.gc.ca/site/english/index.html>

Public Safety Canada

- ▶ Canadian Disaster Database (historical information on disasters)
www.publicsafety.gc.ca/prg/em/cdd/index-eng.aspx

Statistics Canada

- ▶ Population Health Surveys (including the Canadian Community Health Survey, National Population Health Survey, Canadian Health Measures Survey, and Health Services Access Survey)
www.statcan.gc.ca/concepts/hs-es/index-eng.htm
- ▶ Vital Statistics – Death Database (information on cause of death)
www.statcan.gc.ca/cgi-bin/imdb/p2SV.pl?Function=getSurvey&SDDS=3233&lang=en&db=imdb&adm=8&dis=2

^w The Air Quality Health Index was developed jointly by Environment Canada and Health Canada to communicate the health risks posed by air pollution.

International Organizations with Information on HARS

Australia

- ▶ *Heatwave Plan for Victoria: Protecting Health and Reducing Harm from Heatwaves*
www.health.vic.gov.au/environment/downloads/heatwaveplan_vic.pdf

United Kingdom

- ▶ *Heatwave Plan for England: Protecting Health and Reducing Harm from Extreme Heat and Heatwaves*
www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/documents/digitalasset/dh_127235.pdf

United States Environmental Protection Agency

- ▶ *Excessive Heat Events Guidebook*
www.epa.gov/heatisland/about/pdf/EHEguide_final.pdf

World Health Organization—Europe

- ▶ *Heat-Health Action Plans: Guidance*
www.euro.who.int/document/e91347.pdf
- ▶ *Improving Public Health Responses to Extreme Weather/Heat-Waves—EuroHEAT: Technical Summary*
www.euro.who.int/__data/assets/pdf_file/0010/95914/E92474.pdf
- ▶ *Public Health Advice on Preventing Health Effects of Heat*
www.euro.who.int/__data/assets/pdf_file/0007/147265/Heat_information_sheet.pdf

Examples of Canadian Communities with a HARS

City of Fredericton

- ▶ www.fredericton.ca/en/environment/2010mar30heatalertmain.asp

City of Greater Sudbury

- ▶ www.greatersudbury.ca/content/div_emergprep/documents/hot_weather_response_plan_2010.pdf

City of Hamilton

- ▶ www.hamilton.ca/HealthandSocialServices/PublicHealth/TipsToBeatTheHeat.htm

Ville de Montréal

- ▶ www.santepub-mtl.qc.ca/Environnement/chaleur/english/preventive.html

City of Ottawa

- ▶ http://ottawa.ca/en/health_safety/living/outdoor/hot/index.html

City of Toronto

- ▶ www.toronto.ca/health/heatalerts/index.htm

City of Vancouver

- ▶ vancouver.ca/hotweather/index.htm

City of Windsor

- ▶ www.staycoolwindsor-essex.com

City of Winnipeg

- ▶ www.gov.mb.ca/health/publichealth/environmentalhealth/heat.html

Kingston, Frontenac and Lennox & Addington

- ▶ www.kflapublichealth.ca/Content.aspx?Themeld=1&CategoryId=125&TopicId=91&ContentId=563

Region of Peel

- ▶ www.hotweatherinpeel.ca

The Regional Municipality of Halton

- ▶ www.halton.ca/cms/One.aspx?portalId=8310&pageId=13692

Region of Waterloo

- ▶ www.regionofwaterloo.ca/en/safeHealthyCommunity/extremeweather.asp

Assiniboine Region

- ▶ www.assiniboine-rha.ca/index.php/news/plans_view/disaster_plan/

Appendix D—Examples of Alert Triggers Used by Canadian Communities

City/Region	Name	Triggers
Halton Region, Ont.	Heat Alert	Humidex advisory (humidex of 40) is issued by Environment Canada
Hamilton, Ont.	Heat Advisory (Stage 1)	Maximum humidex is 40 or greater for 1 day
	Heat Warning (Stage 2)	Maximum humidex is 40 or greater for 2 or more days
	Heat Alert (Stage 3)	Maximum humidex is 40 or greater for 4 or more days <i>or</i> Maximum humidex is 45 or greater for 1 or more days
Kingston, Frontenac and Lennox & Addington, Ont.	Heat Alert (Level 1)	Humidex of 36 or 36°C/97°F for 2 consecutive days with no Smog Advisory
	Heat Warning (Level 2)	Humidex of 36 or 36°C/97°F for 2 consecutive days with a Smog Advisory <i>or</i> Humidex 40 or 40°C/104°F for 2 consecutive days with no Smog Advisory
	Heat Emergency (Level 3)	Humidex of 36 or 36°C/97°F with contributing factors (power outage, water failure, etc.) <i>or</i> Humidex of 40 or 40°C/104°F for 2 consecutive days with a Smog Advisory <i>or</i> Humidex of 45 or 45°C/113°F for 2 consecutive days
Montréal, Que.	Active Watch	Humidex of 40 or greater and 30°C/86°F
	Alert	Forecast of maximum temperature of 33°C/91°F (weighted average) and minimum temperature of 20°C/84°F (weighted average) for at least 3 consecutive days <i>or</i> At least 2 consecutive nights with minimum temperature of 25°C/77°F or greater
	Intervention	Triggered by extreme heat indicators that reach (or have a confirmed forecast to reach) the predicted levels specified for a heat alert or when there is a deterioration of health watch data (increases in excess number of deaths or emergency room consultations and ambulance transports shown by daily surveillance data)

Continue to next page

City/Region	Name	Triggers
Ottawa, Ont.	Heat Alert	Maximum humidex is 36 or greater for 2 consecutive days
	Heat Warning	Maximum humidex is 40 or greater for at least 2 consecutive days
	Heat Emergency	Maximum humidex is 45 or greater <i>or</i> When extreme weather and situational conditions will result in significant health consequences
Region of Waterloo, Ont.	Humidex Advisory	Maximum temperature is 30°C/86°F or greater <i>and</i> Maximum humidex value is 40 or greater
Sudbury, Ont.	Heat Advisory	Humidex of 36 is forecasted for at least 2 consecutive days
	Heat Alert	Humidex of 40 is forecasted for at least 2 consecutive days <i>or</i> Humidex of 36 is forecasted for at least 2 consecutive days with a Smog Alert
	Extreme Heat Alert	Humidex of 45 is forecasted for at least 2 consecutive days <i>or</i> Humidex of 40 is forecasted for at least 2 consecutive days with a Smog Alert
Toronto, Ont.	Heat Alert	An oppressive air mass is forecast and the likelihood of excess weather-related mortality exceeds 65%
	Extreme Heat Alert	An oppressive air mass is forecast and the likelihood of excess weather-related mortality exceeds 90%

References

1. Intergovernmental Panel on Climate Change (IPCC). (2007). *Climate Change 2007: Synthesis Report*. Allali, A., Bojariu, R., Diaz, S. *et al* (eds). IPCC, Valencia, Spain, 73.
2. Robine, J. M., Cheung, S. L., Le Roy, S. *et al*. (2008). *Death Toll Exceeded 70,000 in Europe During the Summer of 2003*. *C. R. Biol.*, **331**, 171–178.
3. Stott, P. A., Stone, D. A. and Allen, M. R. (2004). *Human Contribution to the European Heatwave of 2003*. *Nature*, **432**, 610–614.
4. World Health Organization (WHO). (2009). *Protecting Health from Climate Change: Connecting Science, Policy and People*. Campanini, B. and Inis Communication (eds). WHO, Denmark, 36. Retrieved April 18, 2011, from http://whqlibdoc.who.int/publications/2009/9789241598880_eng.pdf.
5. Barriopedro, D., Fischer, E. M., Luterbacher, J. *et al*. (2011). *The Hot Summer of 2010: Redrawing the Temperature Record Map of Europe*. *Science*, **332** (6026), 220–224.
6. Kovats, R. S. and Hajat, S. (2008). *Heat Stress and Public Health: A Critical Review*. *Annu. Rev. Public Health*, **29**, 41–55.
7. World Health Organization (WHO)—Europe. (2009). *Improving Public Health Responses to Extreme Weather/Heat-Waves-EuroHEAT: Technical Summary*. Menne, B. and Matthies, F. (eds). WHO, Geneva, Switzerland, 70. Retrieved October 6, 2009, from www.euro.who.int/__data/assets/pdf_file/0010/95914/E92474.pdf.
8. Environment Canada—Ontario Region. (2002). *Glossary*. Environment Canada. Retrieved November 11, 2009, from www.on.ec.gc.ca/community/classroom/glossary-e.html.
9. McInnes, J., Ibrahim, J. E. and Loughnan, M. (2008). *Reducing Harm to Older Persons in Victoria from Extreme Hot Weather*. State Government of Victoria, Victoria, Australia, 143. Retrieved April 19, 2010, from www.health.vic.gov.au/environment/downloads/heatwave_key_findings.pdf.
10. Bouchama, A., Dehbi, M., Mohamed, G. *et al*. (2007). *Prognostic Factors in Heat Wave Related Deaths: A Meta-Analysis*. *Arch. Intern. Med.*, **167**, 2170–2176.
11. Kenny, G. P., Yardley, J., Brown, C. *et al*. (2010). *Heat Stress in Older Individuals and Patients with Common Chronic Diseases*. *Can. Med. Assoc. J.*, **182**(10), 1053–1060.
12. Canadian Institute for Health Information (CIHI). (2011). *Urban Physical Environments and Health Inequalities*. CIHI, Ottawa, ON, 85. Retrieved April 18, 2011, from http://secure.cihi.ca/cihiweb/products/cphi_urban_physical_environments_en.pdf.
13. Nelson, N. G., Collins, C. L., Comstock, R. D. *et al*. (2011). *Exertional Heat-Related Injuries Treated in Emergency Departments in the U.S., 1997–2006*. *Am. J. Prev. Med.*, **40**, 54–60.
14. Green, R., Basu, R., Malig, B. *et al*. (2010). *The Effect of Temperature on Hospital Admissions in Nine California Counties*. *Int. J. Public Health*, **55**, 113–121.
15. Harlan, S. L. and Ruddell, D. M. (2011). *Climate Change and Health in Cities: Impacts of Heat and Air Pollution and Potential Co-Benefits from Mitigation and Adaptation*. *Curr. Opin. Environ. Sustainability*, **3**, 1–9.
16. Wehrli, A., Jol, A., Sauri, D. *et al*. (2010). *Mapping the Impacts of Natural Hazards and Technological Accidents in Europe*. Ludlow, D. (ed). European Environment Agency, Copenhagen, Denmark, 146. Retrieved April 18, 2011, from www.eea.europa.eu/publications/mapping-the-impacts-of-natural/at_download/file.
17. Health Canada. (2008). *Vulnerabilities, Adaptation and Adaptive Capacity in Canada*. In *Human Health in a Changing Climate: A Canadian Assessment of Vulnerabilities and Adaptive Capacity*. Séguin, J. (ed). Health Canada, Ottawa, ON, 367–448.
18. Mersereau, V. (2007). *A Scan of Municipal Heat/Health Watch Warning Systems and Hot Weather Response Plans*. Canzi, M., Penney, J. and Wieditz, I. (eds). Clean Air Partnership, Toronto, ON, 42. Retrieved October 15, 2009, from www.cleanairpartnership.org/pdf/heat_report.pdf.
19. Health Canada. (2007). *Heat Management in Canadian Communities*. Report prepared by Paszowski, D. for Health Canada, Ottawa, ON, 57.

20. Frisancho, A. R. (1981). Thermoregulation and Acclimation to Heat Stress. In *Human Adaptation: A Functional Interpretation*. C.V. Mosby Company, Ann Arbor; MI, 11–26.
21. Grubenhoff, J. A., du Ford, K. and Roosevelt, G. E. (2007). *Heat-Related Illness*. Clin. Pediatr. Emer. Med., **8**, 59–64.
22. Blum, L. N., Bresolin, L. B. and Williams, M. A. (1998). *Heat-Related Illness During Extreme Weather Emergencies*. J. Am. Med. Assoc., **279**, 1514.
23. Naughton, M. P., Henderson, A., Mirabelli, M. C. et al. (2002). *Heat-Related Mortality During a 1999 Heat Wave in Chicago*. Am. J. Prev. Med., **22**, 221–227.
24. Bridger, C. A., Ellis, F. P. and Taylor, H. L. (1976). *Mortality in St. Louis, Missouri, During Heat Waves in 1936, 1953, 1954, 1955, and 1966*. Environ. Res., **12**, 38–48.
25. Fujimura, A., Sasaki, M., Harada, K. et al. (1996). *Influences of Bathing and Hot Weather on the Pharmacokinetics of a New Transdermal Clonidine, M-5041T*. J. Clin. Pharmacol., **36**, 892–896.
26. Cheshire, W. P. and Fealey, R. D. (2008). *Drug-Induced Hyperhidrosis and Hypohidrosis: Incidence, Prevention and Management*. Drug Safety, **31**, 109–126.
27. Cuddy, M. L. (2004). *The Effects of Drugs on Thermoregulation*. AACN Clin. Issues, **15**, 238–253.
28. Yip, F. Y., Flanders, W. D., Wolkin, A. et al. (2008). *The Impact of Excess Heat Events in Maricopa County, Arizona: 2000–2005*. Int. J. Biometeorol., **52**, 765–772.
29. Bassil, K. L. and Cole, D. C. (2010). *Effectiveness of Public Health Interventions in Reducing Morbidity and Mortality During Heat Episodes: A Structured Review*. Int. J. Environ. Res. Public Health, **7**, 991–1001.
30. Canadian Centre for Occupational Health and Safety (CCOHS). (2005). *Working in Hot Environments: A Health and Safety Guide*. CCOHS, Hamilton, ON, 97.
31. Greenberg, J. H., Bromberg, J., Reed, C. M. et al. (1983). *The Epidemiology of Heat-Related Deaths, Texas-1950, 1970–79, and 1980*. Am. J. Public Health, **73**, 805–807.
32. Jay, O. and Kenny, G. P. (2010). *Heat Exposure in the Canadian Workplace*. Am. J. Ind. Med., **53**, 842–853.
33. Binkley, H. M., Beckett, J., Casa, D. J. et al. (2002). *National Athletic Trainers' Association Position Statement: Exertional Heat Illnesses*. J. Athl Train., **37**, 329–343.
34. Marmor, M. (1975). *Heat Wave Mortality in New York City, 1949 to 1970*. Arch. Environ. Health, **30**, 130–136.
35. Mitchell, D., Senay, L. C., Wyndham, C. H. et al. (1976). *Acclimatization in a Hot, Humid Environment: Energy Exchange, Body Temperature, and Sweating*. J. Appl. Physiol., **40**, 768–778.
36. Ellis, F. P., Nelson, F. and Pincus, L. (1975). *Mortality During Heat Waves in New York City July, 1972 and August and September, 1973*. Environ. Res., **10**, 1–13.
37. Ellis, F. P. (1976). *Heat Illness. III. Acclimatization*. Trans. R. Soc. Trop. Med. Hyg., **70**, 419–425.
38. Robinson, S. (1967). *Training, Acclimatization and Heat Tolerance*. Can. Med. Assoc. J., **96**, 795–800.
39. American Conference of Governmental Industrial Hygienists (ACGIH). (2007). *Heat Stress and Strain-Documentation of the TLVs and BEIs*. Cincinnati, Ohio, 36.
40. Health Canada. (2008). *Human Health in a Changing Climate: A Canadian Assessment of Vulnerabilities and Adaptive Capacity*. Séguin, J. (ed). Health Canada, Ottawa, ON, 483.
41. Hajat, S. and Kosatsky, T. (2010). *Heat-Related Mortality: A Review and Exploration of Heterogeneity*. J. Epidemiol. Community Health, **64**, 753–760.
42. Kosatsky, T. (2010). *Hot Day Deaths, Summer 2009: What Happened and How to Prevent a Recurrence*. Br. Columbia Med. J., **52** (5), 261.
43. Health Canada. (2005). *Differential and Combined Impacts of Winter and Summer Weather and Air Pollution Due to Global Warming on Human Mortality in South-Central Canada*. Report prepared by Campbell, M. for Health Canada, 220. Retrieved September 30, 2009, from www.toronto.ca/health/hphe/pdf/weather_air_pollution_impacts_exec_summary.pdf.

44. Sheridan, S. C. (2002). *Heat-Related Mortality: A Rural Problem Too*. *Bull. Am. Meteorol. Soc.*, **83**, 1466–1467.
45. Sheridan, S. C. and Dolney, T. J. (2003). *Heat, Mortality, and Level of Urbanization: Measuring Vulnerability Across Ohio, USA*. *Climate Res.*, **24**, 255–265.
46. Gabriel, K. M. and Endlicher, W. R. (2011). *Urban and Rural Mortality Rates During Heat Waves in Berlin and Brandenburg, Germany*. *Environ. Pollut.*, **159**, 2044–2050.
47. Harlan, S. L., Brazel, A. J., Prashad, L. *et al.* (2006). *Neighborhood Microclimates and Vulnerability to Heat Stress*. *Soc. Sci. Med.*, **63**, 2847–2863.
48. Curriero, F. C., Heiner, K., Samet, J. M. *et al.* (2002). *Temperature and Mortality in 11 Cities of the Eastern United States*. *Am. J. Epidemiol.*, **155**, 80–87.
49. Kim, H., Ha, J. S. and Park, J. (2006). *High Temperature, Heat Index, and Mortality in 6 Major Cities in South Korea*. *Arch. Environ. Occup. Health*, **61**, 265–270.
50. Casati, B. and Yagouti, A. (In Press). *Analysis of Extreme Temperature Indices in Nine Canadian Communities using the Canadian Regional Climate Model Projections for Public Health Planning*. *Int. J. Biometeorol.*
51. Meehl, G. A. and Tebaldi, C. (2004). *More Intense, More Frequent, and Longer Lasting Heat Waves in the 21st Century*. *Science*, **305**, 994–997.
52. Klinenberg, E. (2002). *Heat Wave: A Social Autopsy of Disaster in Chicago*. University of Chicago Press, Chicago, IL, 320.
53. Luber, G. and McGeehin, M. (2008). *Climate Change and Extreme Heat Events*. *Am. J. Prev. Med.*, **35**, 429–435.
54. Rosenzweig, C., Solecki, W. D., Parshall, L. *et al.* (2005). *Characterizing the Urban Heat Island in Current and Future Climates in New Jersey*. *Environ. Hazards*, **6**, 51–62.
55. Smargiassi, A., Fournier, M., Griot, C. *et al.* (2008). *Prediction of the Indoor Temperatures of an Urban Area with an in-Time Regression Mapping Approach*. *J. Expo. Sci. Environ. Epidemiol.*, **18**, 282–288.
56. Smargiassi, A., Goldberg, M. S., Plante, C. *et al.* (2009). *Variation of Daily Warm Season Mortality as a Function of Micro-Urban Heat Islands*. *J. Epidemiol. Community Health*, **63**, 659–664.
57. Koppe, C., Kovats, S., Jendritzky, G. *et al.* (2004). *Heat-Waves: Risks and Responses*. Breuer, D. J. (ed). World Health Organization, Copenhagen, Denmark, 124. Retrieved May 4, 2011, from www.euro.who.int/en/what-we-do/health-topics/environmental-health/Climate-change/publications/pre-2009/heat-waves-risks-and-responses.
58. Park, K., Akbari, H. and Haghghat, F. (2011). *Measuring and Modelling Indoor Thermal Conditions in Urban Heat Islands Areas: The Case of Montreal Island. Technical Report*. Concordia University, Montréal, QC, 49.
59. Environment Canada. (2010). *Average Number of Days Per Year with Maximum Temperatures > 30°C, Based on Data from 1971–2000 (Provincial Overview)*. Environment Canada. Retrieved April 11, 2011, from [http://ontario.hazards.ca/search/search-e.html?user=H&who=O&class\[\]=135](http://ontario.hazards.ca/search/search-e.html?user=H&who=O&class[]=135).
60. Doyon, B., Belanger, D. and Gosselin, P. (2008). *The Potential Impact of Climate Change on Annual and Seasonal Mortality for Three Cities in Quebec, Canada*. *Int. J. Health Geogr.*, **7**, 23.
61. Health Canada. (2008). *Health Impacts of Climate Change in Québec. In Human Health in a Changing Climate: A Canadian Assessment of Vulnerabilities and Adaptive Capacity*. Séquin, J. (ed). Health Canada, Ottawa, ON, 211–302.
62. Canadian Medical Association (CMA). (2008). *No Breathing Room: National Illness Costs of Air Pollution (Summary Report)*. CMA, Ottawa, ON, 36. Retrieved December 1, 2010, from www.cma.ca/multimedia/CMA/Content/Images/Inside_cma/Office_Public_Health/ICAP/CMA_ICAP_sum_e.pdf.
63. Health Canada. (2008). *Air Quality, Climate Change and Health. In Human Health in a Changing Climate*. Séquin, J. (ed). Health Canada, Ottawa, ON, 115–170.

64. Lin, Y. C., Jacob, D. J. and Fiore, A. M. (2001). *Trends in Exceedances of the Ozone Air Quality Standard in the Continental United States, 1980–1998*. *Am. Env.*, **35**, 3217–3228.
65. Kinney, P. L. (2008). *Climate Change, Air Quality, and Human Health*. *Am. J. Prev. Med.*, **35**, 459–467.
66. World Health Organization (WHO). (2010). *Wildfires and Heat-Wave in the Russian Federation – Public Health Advice*. WHO, Copenhagen, Denmark, 17. Retrieved May 4, 2011, from www.euro.who.int/__data/assets/pdf_file/0012/120090/190810_EN_Russia_wildfire_advisory.pdf.
67. Elliott, C. and Kosatsky, T. (2010). *Smoky Air and Respiratory Health in the 2010 Forest Fire Season, British Columbia*. *Br. Columbia Med. J.*, **25**, 514.
68. Pope, C. A. 3rd, Verrier, R. L., Lovett, E. G. *et al.* (1999). *Heart Rate Variability Associated with Particulate Air Pollution*. *Am. Heart J.*, **138**, 890–899.
69. Ren, C., O’Neill, M. S., Park, S. K. *et al.* (2011). *Ambient Temperature, Air Pollution, and Heart Rate Variability in an Aging Population*. *Am. J. Epidemiol.*, **173**, 1013–1021.
70. Durand, C. P., Andalib, M., Dunton, G. F. *et al.* (2011). *A Systematic Review of Built Environment Factors Related to Physical Activity and Obesity Risk: Implications for Smart Growth Urban Planning*. *Obes. Rev.*, **12**, e173–182.
71. Dennekamp, M. and Carey, M. (2010). *Air Quality and Chronic Disease: Why Action on Climate Change Is Also Good for Health*. *N. S. W. Public Health Bull.*, **21**, 115–121.
72. Ebi, K. L. (2007). *Towards an Early Warning System for Heat Events*. *J. Risk Res.*, **10**, 729–744.
73. Bernard, S. M. and McGeehin, M. A. (2004). *Municipal Heat Wave Response Plans*. *Am. J. Public Health*, **94**, 1520–1522.
74. Yardley, J., Sigal, R. J. and Kenny, G. P. (2010). *Heat Health Planning: The Importance of Social and Community Factors*. *Global Environ. Change*, **21**, 670–679.
75. Warren, F.J. and Egginton, P.A. (2008). Background Information. In *From Impacts to Adaptation: Canada in a Changing Climate 2007*. Lemmen, D.S., Warren, F.J., Lacroix, J. and Bush, E. (eds). Natural Resources Canada, Ottawa, ON, 27–56.
76. O’Neill, M. S., Jackman, D. K., Wyman, M. *et al.* (2010). *US Local Action on Heat and Health: Are we Prepared for Climate Change?* *Int. J. Public Health*, **55**, 105–112.
77. Berry, P., Clarke, K., Pajot, M. *et al.* (2009). *The Role of Risk Perception and Health Communication in Adapting to the Health Impacts of Climate Change in Canada*. Natural Resources Canada, Ottawa, ON, 106. Retrieved January 18, 2010, from http://adaptation.nrcan.gc.ca/projdb/pdf/205_e.pdf.
78. Abrahamson, V., Wolf, J., Lorenzoni, I. *et al.* (2009). *Perceptions of Heatwave Risks to Health: Interview-Based Study of Older People in London and Norwich, UK*. *J. Public Health (Oxf)*, **31**, 119–126.
79. Ebi, K. L., Teisberg, T. J., Kalkstein, L. S. *et al.* (2004). *Heat Watch/Warning Systems Save Lives: Estimated Costs and Benefits for Philadelphia 1995–98*. *Bull. Am. Meteorol. Soc.*, **85**, 1067–1073.
80. Palecki, M. A., Changnon, S. A. and Kunkel, K. E. (2001). *The Nature and Impacts of the July 1999 Heat Wave in the Midwestern United States: Learning from the Lessons of 1995*. *B. Am. Meteorol. Soc.*, **82(7)**, 1353–1367.
81. Weisskopf, M. G., Anderson, H. A., Foldy, S. *et al.* (2002). *Heat Wave Morbidity and Mortality, Milwaukee, Wis, 1999 Vs 1995: An Improved Response?* *Am. J. Public Health*, **92**, 830–833.
82. Kosatsky, T., Dufresne, J., Richard, L. *et al.* (2009). *Heat Awareness and Response Among Montreal Residents with Chronic Cardiac and Pulmonary Disease*. *Can. J. Public Health*, **100**, 237–240.
83. Davis, R. E., Knappenberger, P. C., Michaels, P. J. *et al.* (2003). *Changing Heat-Related Mortality in the United States*. *Environ. Health Perspect.*, **111**, 1712–1718.

84. Preston, B. L., Abbs, D., Beveridge, B. *et al.* (2007). *Spatial Approaches for Assessing Vulnerability and Consequences in Climate Change Assessments*. The Modelling and Simulation Society of Australia and New Zealand Inc., Australia, 261–267. Retrieved May 4, 2011, from www.mssanz.org.au/MODSIM07/papers/4_s30/SpatialApproaches_s30_Preston_.pdf.
85. Vescovi, L., Rebetez, M. and Rong, F. (2005). *Assessing Public Health Risk due to Extremely High Temperature Events; Climate and Social Parameters*. *Clim. Res.*, **30**, 71–78.
86. Health Canada. (2010). *Heat and Health in Planning*. Report prepared by GHK International (Canada) Ltd. for Health Canada, Ottawa, ON, 78.
87. Che-Ani, A. I., Shahmohamadi, P., Sairi, A. *et al.* (2009). *Mitigating the Urban Heat Island Effect: Some Points Without Altering Existing City Planning*. *Eur. J. Sci. Res.*, **35**, 204–216.
88. Anderson, C. A. (1989). *Temperature and Aggression: Ubiquitous Effects of Heat on Occurrence of Human Violence*. *Psychol. Bull.*, **106**, 74–96.
89. Chan, N. Y., Stacey, M. T., Smith, A. E. *et al.* (2001). *An Empirical Mechanistic Framework for Heat-Related Illness*. *Climate Res.*, **16**, 133–143.
90. Health Canada. (2011). *Adapting to Extreme Heat Events: Guidelines for Assessing Health Vulnerability*. Health Canada, Ottawa, ON, 43.
91. Ebi, K. L. and Semenza, J. C. (2008). *Community-Based Adaptation to the Health Impacts of Climate Change*. *Am. J. Prev. Med.*, **35**, 501–507.
92. Toronto Public Health. (2009). *City of Toronto Hot Weather Response Plan*. Toronto Public Health, Toronto, ON, 13. Retrieved October 22, 2010, from www.toronto.ca/health/heatalerts/pdf/hwr_plan_2009.pdf.
93. Ebi, K. L. *et al.* (2012). *Protecting Health from Climate Change: Vulnerability and Adaptation Assessment*. World Health Organization (WHO) and Pan American Health Organization (PAHO). Geneva, Switzerland, 72.
94. Ebi, K. L. and Schmier, J. K. (2005). *A Stitch in Time: Improving Public Health Early Warning Systems for Extreme Weather Events*. *Epidemiol. Rev.*, **27**, 115–121.
95. Hajat, S., Sheridan, S. C., Allen, M. J. *et al.* (2010). *Heat-Health Warning Systems: A Comparison of the Predictive Capacity of Different Approaches to Identifying Dangerously Hot Days*. *Am. J. Public Health*, **100**, 1137–1144.
96. Pascal, M., Laaidi, K., Ledrans, M. *et al.* (2006). *France's Heat Health Watch Warning System*. *Int. J. Biometeorol.*, **50**, 144–153.
97. Kovats, R. S. and Kristie, L. E. (2006). *Heatwaves and Public Health in Europe*. *Eur. J. Public Health*, **16**, 592–599.
98. Diaz, J., Linares, C. and Tobias, A. (2006). *A Critical Comment on Heat Wave Response Plans*. *Eur. J. Public Health*, **16**, 600.
99. Medina-Ramon, M. and Schwartz, J. (2007). *Temperature, Temperature Extremes, and Mortality: A Study of Acclimatization and Effect Modification in 50 U.S. Cities*. *Occup. Environ. Med.*, **64**, 827–833.
100. Basu, R. (2009). *High Ambient Temperature and Mortality: A Review of Epidemiologic Studies from 2001 to 2008*. *Environ. Health*, **8**, 40.
101. Masterton, J. M. and Richardson, F. A. (1979). *Humidex: A Method of Quantifying Human Discomfort Due to Excessive Heat and Humidity*. Environment Canada, Downsview, ON, 10.
102. Environment Canada. (2010). *Frequently Asked Questions*. Environment Canada. Ottawa, ON. Retrieved December 21, 2010, from www.weatheroffice.gc.ca/mainmenu/faq_e.html#weather4b.
103. Environment Canada. (2010). *Being Prepared for Summer*. Environment Canada. Ottawa, ON. Retrieved December 21, 2010, from www.ec.gc.ca/meteo-weather/default.asp?lang=En&n=86C0425B-1.
104. Jossieran, L., Fouillet, A., Caillere, N. *et al.* (2010). *Assessment of a Syndromic Surveillance System Based on Morbidity Data: Results from the Oscour Network During a Heat Wave*. *PLoS One*, **5**, e11984.
105. Crouse, D. L., Ross, N. A. and Goldberg, M. S. (2009). *Double Burden of Deprivation and High Concentrations of Ambient Air Pollution at the Neighbourhood Scale in Montreal, Canada*. *Soc. Sci. Med.*, **69**, 971–981.

106. Kanaroglou, P. S., Jerrett, M., Morrison, J. *et al.* (2005). *Establishing an Air Pollution Monitoring Network for Intra-Urban Population Exposure Assessment: A Location-Allocation Approach*. *Atmos. Environ.*, **39**, 2399–2409.
107. Peled, R. (2011). *Air Pollution Exposure: Who Is at High Risk?* *Atmos. Environ.*, **45**, 1781–1785.
108. Sheridan, S. C. (2004). The Development of Heat-Warning Systems for Cities Worldwide. In *Land Minds: 100 Geographic Solutions to Saving Planet Earth*. Warf, B., Hansen, K. and Janelle, D. (eds). Kluwer Academic Publishing, 487–492.
109. Parsons, K. (2006). *Heat Stress Standard ISO 7243 and Its Global Application*. *Ind. Health*, **44**, 368–379.
110. National Oceanic and Atmospheric Administration (NOAA). (2010). *Heat: A Major Killer*. National Weather Service. Silver Spring, MD. Retrieved December 21, 2010, from www.weather.gov/os/heat/index.shtml#heatindex.
111. Johnson, W., Bickler, G., Leonardi, G. *et al.* (2007). *Evaluation of the Department of Health National Heatwave Plan*. Health Protection Agency, U.K., 16. Retrieved April 8, 2011, from www.hpa.org.uk/web/HPAwebFile/HPAweb_C/1204100449763.
112. Government of New Brunswick. (2009 and 2010). *Fredericton Heat Alert and Response System Pilot Project: End-of-Season Report*. Report prepared by the Department of Health, Office of the Chief Medical Officer of Health for Health Canada, Ottawa, ON.
113. van de Lande, R. A. (2009). *Developing the City of Hamilton's Community Heat Response Initiative*. City of Hamilton for Health Canada, Hamilton, ON, 16.
114. Marine Corps Logistics Base: Albany. (2010). *Automatic Heat Stress Sensor (AHSS) WBGTI and Heat Condition Flag Warning System*. U.S. Marine Corps. Albany, NY. Retrieved April 8, 2011, from www.marines.mil/unit/mclbalbany/Pages/Resources/AHSS.aspx.
115. Hajat, S., Armstrong, B., Baccini, M. *et al.* (2006). *Impact of High Temperatures on Mortality: Is There an Added Heat Wave Effect?* *Epidemiology*, **17**, 632–638.
116. County of Fresno. (2007). *County of Fresno Heat Emergency Contingency Plan*. 1–10. Retrieved May 4, 2011, from www.co.fresno.ca.us/DivisionPage.aspx?id=22595&terms=heat.
117. City of Greater Sudbury and Sudbury and District Health Unit. (2010). *City of Greater Sudbury: Hot Weather Response Plan*. City of Greater Sudbury, Sudbury, ON, 8. Retrieved April 1, 2011, from www.greatersudbury.ca/content/div_emergprep/documents/hot_weather_response_plan_2010.pdf.
118. City of Ottawa. (2010). *Beat the Heat this Summer*. City of Ottawa, Ottawa, ON. Retrieved July 25, 2011, from http://ottawa.ca/en/health_safety/living/outdoor/hot/beat_heat/.
119. City of Windsor. (2009 and 2010). *Windsor Heat Alert and Response System Pilot Project: End-of-Season Report*. Report prepared by City of Windsor for Health Canada, Ottawa, ON.
120. Manitoba Government. (2009 and 2010). *Assiniboine Regional Health Authority Heat Alert and Response System Pilot Project: End-of-Season Report*. Report prepared by Manitoba Health for Health Canada, Ottawa, ON.
121. Manitoba Government. (2009 and 2010). *Winnipeg Heat Alert and Response System Pilot Project: End-of-Season Report*. Report prepared by Manitoba Health for Health Canada, Ottawa, ON.
122. Sheridan, S. C. and Kalkstein, L. S. (2004). *Progress in Heat Watch-Warning System Technology*. *Bull. Am. Meteorol. Soc.*, **85**, 1931–1941.
123. Anderson, G. B. and Bell, M. L. (2011). *Heat Waves in the United States: Mortality Risk During Heat Waves and Effect Modification by Heat Wave Characteristics in 43 U.S. Communities*. *Environ. Health Perspect.*, **119**, 210–218.
124. Whitman, S., Good, G., Donoghue, E. R. *et al.* (1997). *Mortality in Chicago Attributed to the July 1995 Heat Wave*. *Am. J. Public Health*, **87**, 1515–1518.
125. Baker, L. B., Munce, T. A. and Kenney, W. L. (2005). *Sex Differences in Voluntary Fluid Intake by Older Adults During Exercise*. *Med. Sci. Sports Exerc.*, **37**, 789–796.

126. Toronto Public Health. (2010). *Extreme Heat Alert Terminated; Health Risk Remains for Vulnerable People*. City of Toronto. Toronto, ON. Retrieved March 31, 2011, from <http://wx.toronto.ca/inter/it/newsrel.nsf/9a3dd5e2596d27af85256de400452b9b/3d2ce1514ae65b6a8525775b004d2d94?OpenDocument>.
127. Morley, J. (2000). *Water, Water Everywhere and Not a Drop to Drink*. *J. Gerontol.*, **55**, M359–360.
128. Foster, K. G., Ellis, F. P., Dore, C. *et al.* (1976). *Sweat Responses in the Aged*. *Age and Ageing*, **5**, 91–101.
129. Anderson, S. J., Griesemer, B. A., Johnson, M. D. *et al.* (2000). *Climatic Heat Stress and the Exercising Child and Adolescent*. *Pediatrics*, **106**, 158–159.
130. Foster, K. G., Hey, E. N. and Katz, G. (1969). *The Response of the Sweat Glands of the Newborn Baby to Thermal Stimuli and to Intradermal Acetylcholine*. *J. Physiol.*, **203**, 13–29.
131. Larrieu, S., Carcaillon, L., Lefranc, A. *et al.* (2008). *Factors Associated with Morbidity During the 2003 Heat Wave in Two Population-Based Cohorts of Elderly Subjects: PAQUID and Three City*. *Eur. J. Epidemiol.*, **23**, 295–302.
132. Health Canada. (2011). *Communicating the Health Risks of Extreme Heat Events: Toolkit for Public Health and Emergency Management Officials*. Health Canada, Ottawa, ON, 54.
133. Health Canada. (2011). *Extreme Heat Events Guidelines: Technical Guide for Health Care Workers*. Health Canada, Ottawa, ON, 159.
134. Matthies, F. and Menne, B. (2009). *Prevention and Management of Health Hazards Related to Heatwaves*. *Int. J. Circumpolar Health*, **68**, 8–22.
135. City of Ottawa. (2009). *Hot Weather*. City of Ottawa. Ottawa, ON. Retrieved November 18, 2011, from http://ottawa.ca/en/health_safety/living/outdoor/hot/.
136. Jackson, R. and Shields, K. N. (2008). *Preparing the U.S. Health Community for Climate Change*. *Annu. Rev. Public Health*, **29**, 57–73.
137. World Health Organization (WHO). (2008). *Heat-Health Action Plans*. Matthies, F., Bickler, G., Marin, N. C. *et al.* (eds). WHO, Copenhagen, Denmark, 58. Retrieved April 5, 2011, from www.euro.who.int/document/e91347.pdf.
138. Natural Resources Canada. (2007). *Survey of Household Energy Use: Detailed Statistical Report*. Natural Resources Canada, Ottawa, ON, 240. Retrieved March 1, 2011, from <http://oe.nrcan.gc.ca/Publications/statistics/sheu07/pdf/sheu07.pdf>.
139. Glazer, J. L. (2005). *Management of Heatstroke and Heat Exhaustion*. *Am. Fam. Physician*, **71**, 2133–2140.
140. Kellermann, A. L. and Todd, K. H. (1996). *Killing Heat*. *N. Engl. J. Med.*, **335**, 126–127.
141. Ebi, K. L. and Meehl, G. A. (2007). *Heatwaves and Global Climate Change*. Pew Center on Global Climate Change, Arlington, VA, 20. Retrieved July 25, 2011, from www.pewclimate.org/docUploads/Regional-Impacts-FullReport.pdf.
142. Sheridan, S. C. (2007). *A Survey of Public Perception and Response to Heat Warnings Across Four North American Cities: An Evaluation of Municipal Effectiveness*. *Int. J. Biometeorol.*, **52**, 3–15.
143. Canadian Red Cross. (2010). *Expect the Unexpected Program*. Canadian Red Cross. Retrieved July 25, 2011, from www.redcross.ca/article.asp?id=33865&tid=001.
144. Department of Health. (2011). *Heatwave Plan for England: Protecting Health and Reducing Harm from Extreme Heat and Heatwaves*. Department of Health, London, U.K., 47. Retrieved July 25, 2011, from www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/documents/digitalasset/dh_127235.pdf.
145. Victorian Government. (2011). *Heatwave Plan for Victoria: Protecting Health and Reducing Harm from Heatwaves*. State of Victoria, Department of Health, Melbourne, Victoria, 23. Retrieved April 13, 2011, from www.health.vic.gov.au/environment/downloads/heatwaveplan_vic.pdf.
146. National Science and Technology Council. (2000). *Effective Disaster Warnings: Report by the Working Group on Natural Disaster Information Systems Subcommittee on Natural Disaster Reduction*. National Science and Technology Council, 65. Retrieved October 27, 2009, from www.tetontectonics.org/Warning/NDIS%20EffectiveDisasterWarnings2000.pdf.

147. Moreland City Council. (2011). *Keeping Your Cool in a Heatwave*. Moreland City Council. Moreland, Victoria, Australia. Retrieved May 11, 2011, from www.moreland.vic.gov.au/community-services/multicultural-services/caldcom/keep-cool-caldcom.html?s=1001.
148. Kalkstein, A. J. and Sheridan, S. C. (2007). *The Social Impacts of the Heat-Health Watch/Warning System in Phoenix, Arizona: Assessing the Perceived Risk and Response of the Public*. *Int. J. Biometeorol.*, **52**, 43–55.
149. Thomas, C. W., Vanderford, M. L. and Crouse Quinn, S. (2008). *Evaluating Emergency Risk Communications: A Dialogue with the Experts*. *Health. Promot. Pract.*, **9**, 5S–12S.
150. Ebi, K. L. and Meendering, J. R. (2007). Heatwaves and Global Climate Change. In *Regional Impacts of Climate Change: Four Case Studies in the United States*. Pew Center on Global Climate Change, Arlington, VA, i–14.
151. Ebi, K. L., Smith, J., Burton, I. *et al.* (2006). *Some Lessons Learned from Public Health on the Process of Adaptation*. *Mitig. Adapt. Strat. Glob. Change*, **11**, 607–620.
152. McKenzie, J. F., Neiger, B. L. and Smeltzer, J. L. (2005). *Planning, Implementing and Evaluating Health Promotion Programs*. Pearson Benjamin Cummings, San Francisco, CA, 414.
153. Health Canada. (2004). *Framework and Tools for Evaluating Health Surveillance Systems*. Health Canada, Ottawa, ON, 56. Retrieved May 15, 2010, from www.phac-aspc.gc.ca/php-ppsp/pdf/i_Surveillance_Evaluation_Framework_v1.pdf.
154. Burroughs, C. (2000). *Measuring the Difference: Guide to Planning and Evaluating Health Information Outreach*. National Library of Medicine, Seattle, WA, Retrieved August 30, 2010, from <http://nmlm.gov/evaluation/guide/index.html>.
155. The Health Communication Unit. (2007). *Evaluating Health Promotion Programs*. The Health Communication Unit at the Centre for Health Promotion, Toronto, ON, 100. Retrieved December 17, 2009, from www.thcu.ca/resource_db/pubs/107465116.pdf.
156. Centers for Disease Control and Prevention (CDC). (1999). *Framework for Program Evaluation in Public Health*. Koplan, J. P., Milstein, R. L. and Wetterhall, S. F. (eds). CDC, Atlanta, GA, 40. Retrieved May 4, 2011, from www.cdc.gov/mmwr/preview/mmwrhtml/rr4811a1.htm.
157. Helitzer, D., Hollis, C., Urqieta de Hernandez, B. *et al.* (2010). *Evaluation for Community-Based Programs: The Integration of Logic Models and Factor Analysis*. *Eval. Prog. Plann.*, **33**, 223–233.
158. Angus, J. (2006). *An Evaluation of Toronto's Heat Watch Warning System*. University of Toronto, Toronto, ON, 384.
159. Health Canada. (2009). *Heat Alert and Response Systems Review: Challenges and Best Practices*. Report prepared by Stratus Consulting for Health Canada, Ottawa, ON, 31.
160. Smoyer, K. E., Rainham, D. G. and Hewko, J. N. (2000). *Heat-Stress-Related Mortality in Five Cities in Southern Ontario: 1980–1996*. *Int. J. Biometeorol.*, **44**, 190–197.
161. United States Environmental Protection Agency (U.S. EPA). (2009). *Reducing Urban Heat Islands: Compendium of Strategies*. Wong, E., Hogan, K., Rosenburg, J. *et al.* (eds). U.S. EPA, Washington, DC, 22. Retrieved May 4, 2011, from www.epa.gov/hiri/resources/pdf/BasicsCompendium.pdf.
162. Health Canada. (2010). *Mitigating Urban Heat in Canada*. Report prepared by Clean Air Partnership (CAP) for Health Canada, Ottawa, ON, 44. Retrieved May 4, 2011, from www.cleanairpartnership.org/files/Background%20Paper%20Final.pdf.
163. Rosenzweig, C., Solecki, W. D. and Slosberg, R. B. (2006). *Mitigating New York City's Heat Island with Urban Forestry, Living Roofs and Light Surfaces*. New York State Energy Research and Development Authority, Albany, NY, 156. Retrieved May 4, 2011, from www.urbanforestrysouth.org/resources/library/mitigating-new-york-city2019s-heat-island-with-urban-forestry-living-roofs-and-light-surfaces/at_download/file_name.
164. Mirza, S. (2007). *Danger Ahead: The Coming Collapse of Canada's Municipal Infrastructure*. Federation of Canadian Municipalities, Ottawa, ON, 27. Retrieved November 18, 2011, from www.fcm.ca/Documents/reports/Danger_Ahead_The_coming_collapse_of_Canadas_municipal_infrastructure_EN.pdf.

165. Public Health Agency of Canada (PHAC). (2006). *Healthy Aging in Canada: A New Vision, A Vital Investment, from Evidence to Act*. PHAC, Ottawa, ON, 76. Retrieved May 4, 2011, from www.phac-aspc.gc.ca/seniors-aines/alt-formats/pdf/publications/pro/healthy-sante/haging_newvision/vision-rpt_e.pdf.
166. Infrastructure Canada. (2006). *Adapting Infrastructure to Climate Change in Canada's Cities and Communities*. Infrastructure Canada, Ottawa, ON, 23. Retrieved May 4, 2011, from <http://cbtadaptation.squarespace.com/storage/CdnInfrastructureAdaptation-LiteratureReview.pdf>.
167. Lemmen, D. S., Warren, F. J., Lacroix, J. *et al.* (2008). *From Impacts to Adaptation: Canada in a Changing Climate 2007*. Lemmen, D. S., Warren, F. J., Lacroix, J. *et al.* (eds). Government of Canada, Ottawa, ON, 448.
168. Younger, M., Morrow-Almeida, H. R., Vindigni, S. M. *et al.* (2008). *The Built Environment, Climate Change, and Health: Opportunities for Co-Benefits*. *Am. J. Prev. Med.*, **35**, 517–526.
169. Gill, S. E., Handley, A. R. and Pauleit, S. (2007). *Adapting Cities for Climate Change: The Role of the Green Infrastructure*. *Built Environ.*, **3**, 115–133.
170. Spronken-Smith, R. A. and Oke, T. R. (1998). *The Thermal Regime of Urban Parks in Two Cities with Different Summer Climates*. *Int. J. Remote Sensing*, **19**, 2085–2104.
171. Gartland, L. (2008). *Heat Islands: Understanding and Mitigating Heat in Urban Areas*. Earthscan, London, 192.
172. New South Wales (NSW) Department of Health. (2009). *Healthy Urban Development Checklist*. NSW Department of Health, North Sydney, NSW, 192. Retrieved May 4, 2011, from www.health.nsw.gov.au/pubs/2010/hud_checklist.html.
173. Frank, L. and Raine, K. (2007). *Creating a Healthier Built Environment in British Columbia*. British Columbia Provincial Health Services Authority, Vancouver, BC, 48. Retrieved May 4, 2011, from www.phsa.ca/HealthProfessionals/Population-Public-Health/Healthy-Built-Environment/default.htm.
174. World Health Organization (WHO). (2010). *Why Urban Health Matters*. WHO. Retrieved May 4, 2011, from www.who.int/features/2010/urban_health/photo_story/en/index2.html.
175. Stone, B. J., Hess, J. J. and Frumkin, H. (2010). *Urban Form and Extreme Heat Events: Are Sprawling Cities More Vulnerable to Climate Change Than Compact Cities?* *Environ. Health Perspect.*, **118**, 1425.
176. Perrotta, K. (2011). *Public Health and Land Use Planning: How Ten Public Health Units Are Working to Create Healthy and Sustainable Communities*. Prepared for the Clean Air Partnership and the Ontario Public Health Association, Toronto, ON, 232. Retrieved May 4, 2011, from www.cleanairpartnership.org/public_health_and_the_built_environment.
177. United States Environmental Protection Agency (U.S. EPA). (2006). *Excessive Heat Events Guidebook*. U.S. EPA, Washington, DC, 52. Retrieved May 4, 2011, from www.epa.gov/heatland/about/pdf/EHEguide_final.pdf.
178. Berry, P., Richters, K., Clarke, K. *et al.* (In press). *Assessment of Vulnerability to the Health Impacts of Extreme Heat Events in Windsor*. Prepared for the City of Windsor, Windsor, ON, 80.
179. Roy, L.-A., Price, K., Pâquet, M. *et al.* (2011). *Canicule 2010 à Montréal. Direction de santé publique de l'Agence de la santé et des services sociaux de Montréal*, Montréal, QC, 48. Retrieved August 29, 2011, from [www.dsp.santemontreal.qc.ca/index.php?id=523&tx_wfqbe_pi1\[uid\]=1023](http://www.dsp.santemontreal.qc.ca/index.php?id=523&tx_wfqbe_pi1[uid]=1023).
180. Kilbourne, E. M., Choi, K. and Jones, T. S. (1982). *Risk Factors for Heatstroke. A Case-Control Study*. *J. Am. Med. Assoc.*, **247**, 3332–3336.
181. Semenza, J. C., Rubin, C. H., Falter, K. H. *et al.* (1996). *Heat-Related Deaths During the July 1995 Heat Wave in Chicago*. *N. Engl. J. Med.*, **335**, 84–90.
182. Gosselin, C., Kosatsky, T., Fournier, M. *et al.* (2009). *Evaluation of the Education Campaign on Health Risks Associated with Heat Waves and on Related Protection Measures*. Direction de santé publique de l'agence de la santé et des services sociaux de Montréal, Montréal, QC, 72. Retrieved April 19, 2010, from www.santepub-mtl.qc.ca/Publication/pdfenvironnement/campagnechaleur.pdf.